

**Vol 73(2) 1-348 (2008)**  
**Vol 73(3) 349-666 (2008)**  
**Vol 73(4) 667-974 (2008)**

**COMMUNICATIONS IN AGRICULTURAL AND  
APPLIED BIOLOGICAL SCIENCES**

formerly known as

**MEDEDELINGEN FACULTEIT LANDBOUWKUNDIGE  
EN TOEGEPASTE BIOLOGISCHE WETENSCHAPPEN**

**PUBLISHERS**

Professoren  
Pascal Boeckx  
Peter Bossier  
Guy Smagghe  
Walter Steurbaut  
Els Van Damme  
Erick Vandamme  
Niko Verhoest

**EDITORIAL ADDRESS**

Coupure links 653  
9000 Gent (Belgium)

Website: <http://www.fbw.ugent.be/>

ISSN 1379-1176

The content of the contributions is in the responsibility of the authors

## **Proceedings**

# **60<sup>th</sup> INTERNATIONAL SYMPOSIUM ON CROP PROTECTION**

**Editor P. Spanoghe**

**Gent, May 20, 2008**

**Part I**

**PATRONS**

Faculty of Bioscience Engineering, Ghent University, Gent, Belgium

Fund for Scientific Research - Flanders, Brussels, Belgium

Akzo Nobel - Surfactants Europe, the Netherlands

BASF, Brussel, Belgium

Bayer CropScience, Brussel, Belgium

Belchim, Londerzeel, Belgium

Biobest Biological Systems, Westerlo, Belgium

Certis Europe, Brussels, Belgium

Dow Agro Sciences, Edegem, Belgium

DuPont, Mechelen, Belgium

Evonik Industries, Essen, Germany

Fytolab, Gent, Belgium

Huntsman, Everberg, Belgium

Janssen PMP, Beerse, Belgium

Koppert Biological Systems, the Netherlands

Microbiotests, Nazareth, Belgium

Noldus Information Technology, Wageningen, the Netherlands

Notox, 's Hertogenbosch, the Netherlands

Novolab, Geraardsbergen, Belgium

Syngenta Crop Protection, Ruisbroek, Belgium

Taminco Crop Protection, Gent, Belgium

**ORGANIZING COMMITTEE**

HONORARY  
CHAIRMEN

D. DEGHEELE (+), W. DEJONCKHEERE (+),  
A. GILLARD, R.H. KIPS (+),  
C. PELERENTS, J. POPPE, J. STRYCKERS (+),  
J. VAN DEN BRANDE (+), W. WELVAERT

ORGANIZING  
COMMITTEE

M. HÖFTE (Chair), R. BULCKE,  
P. DE CLERCQ, M. MOENS, G. SMAGGHE,  
W. STEURBAUT, L. TIRRY

P. SPANOGHE (Secretary-general)  
H. VAN BOST, L. GOSSYE and L. GOETEYN  
(Assistant-secretaries)

ADVISORY  
COMMITTEE

A. CALUS, J. COOSEMANS, P. CORNELIS,  
P. CREEMERS, W. DE COEN, R. DE VIS,  
E. PRINSEN, D. REHEUL, E. VAN BOCKSTAELE,  
Erick VANDAMME, Els VAN DAMME,  
J. VANDENBROECK, M.C. VAN LABEKE,  
H. VAN LANGENHOVE, W. VERSTRAETE,  
E. VOLCKAERT

## SECTIONS

### Chairmen

- M. Gobin, Sint-Truiden, Belgium
- M. Maes, Merelbeke, Belgium
- S. Moss, Harpenden, Herts, Great Britain
- B. Schiffers, Gembloux, Belgium
- R. Sikora, Bonn, Germany
- U. Wyss, Kiel, Germany
- H. Zhu, Wooster, USA

### Vice-chairmen

- K. Audenaert, Gent, Belgium
- P. Creemers, Sint-Truiden, Belgium
- B. De Cauwer, Gent, Belgium
- P. McEwen, Cardiff, Great Britain
- I. Mestdagh, Rumbeke-Beitem, Belgium
- D. Nuyttens, Merelbeke, Belgium
- A.K. Mourad, Alexandria, Egypt
- R.N. Perry, Harpenden, Great Britain

**CONTENTS**

|   |           |
|---|-----------|
| <b>Biological and integrated control of plant pathogens</b>   | <b>1</b>  |
| K. Riaz, C. Elmerich, A. Raffoux, D. Moreira, Y. Dessaux and D. Faure<br>Metagenomics revealed a quorum quenching lactonase QlcA from yet un-<br>culturable soil bacteria | 3         |
| N. Brooker, J.R. Lord, J. Long and A. Jayawardhana<br>AFLP analysis of genetic diversity in charcoal rot fungal populations im-<br>pacted by crop rotations               | 7         |
| G. Gilardi, M.L. Gullino and A. Garibaldi<br>Effect of fungicides and of biocontrol agents against powdery mildew of<br>turnip  | 21        |
| M. Henze, H. Klink and J-A. Verreet<br>Development of a quantitative forecasting system for <i>Septoria tritici</i><br>based on a long term monitoring                    | 31        |
| A. Siah, C. Deweer, E. Morand, Ph. Reignault and P. Halama<br>Assessment of <i>Mycosphaerella graminicola</i> resistance to azoxystrobin                                  | 41        |
| T. Deliopoulos, P.S. Kettlewell and M.C. Hare<br>Inorganic salts for suppressing powdery mildew in cucurbits - A world-<br>wide survey                                    | 51        |
| P.F.J. Wolf and J-A. Verreet<br>Quaternary IPM (Integrated pest management) - concept for the control<br>of powdery mildew in sugar beets                                 | 57        |
| <b>Phytopathology and Integrated Control</b>  | <b>69</b> |
| B. Dieryck, J. Weyns, V. Van Hese, C. Bragard and A. Legrève<br>Peanut Clump Virus transmission by <i>Polymyxa graminis</i> under controlled<br>conditions                | 71        |
| G. Gilardi, M. Baudino, M.L. Gullino and A. Garibaldi<br>Attempts to control <i>Fusarium</i> root rot of bean by seed dressing  | 75        |
| N. Brooker, J. Windorski and E. Bluml<br>Halogenated coumarin derivatives as novel seed protectants   | 81        |
| <b>Posters – Phytopathology</b>   | <b>91</b> |
| <b>Diseases</b>   | <b>93</b> |
| R. Mukodo Mundende, M. Ngongo, D. Reheul and G. Haesaert<br>Diseases on wheat and triticale under the growing conditions of Lubum-<br>bashi (Congo RD)                    | 95        |

|   |     |
|---|-----|
| S.K. Sabbagh, M. Naudan and C. Roux<br>Isolation of a natural solopathogenic strain of <i>Sporisorium reilianum</i><br>f.sp. <i>zeae</i> (Ustilaginaceae, Basidiomycetes)   | 101 |
| A.N. Smirnov, S.A. Kuznetsov, N.Ya. Kvasnyuk and K.L. Dealhl<br>Formation and germination of <i>Phytophthora infestans</i> oospores in differ-<br>ent regions of Russia   | 109 |
| Detection - Genetic diversity   | 119 |
| J.A. Martinez, R. Valdés, M.J. Vicente and S. Banon<br>Phenotypical differences among <i>B. cinerea</i> isolates from ornamental<br>plants  | 121 |
| D. Bertetti, G. Gilardi, M.L. Gullino and A. Garibaldi<br>New powdery mildew on ornamental crops in Northern Italy  | 131 |
| M. Jensen, N. Ale-Agha and M. Braßmann<br>Survey of microfungi in the Kleinwalsertal (Austrian Alps)  | 135 |
| N. Ale-Agha, M. Jensen, M. Braßmann, S. Kautz, S. Eilmus and D.J. Ball-<br>horn<br>Rare or remarkable microfungi from Oaxaca (South Mexica) - Part II   | 147 |
| Resistance and Cultural Practices   | 157 |
| A. la Torre, M. Gianferro and G. Spera<br>Optimization of plant protection products treatments against <i>Plasmopara</i><br><i>viticola</i>   | 159 |
| A. la Torre, S. Talocci, G. Spera and R. Valori<br>Control of powdery mildew on grapes in organic viticulture   | 169 |
| H. Saremi, S.M. Okhovvat and Ha. Saremi<br><i>Pistachio gummosis</i> disease caused by <i>Phytophthora</i> species and its con-<br>trol management with soil solarisation method in Iran                          | 179 |
| H. Saremi, Ha. Saremi and S.M. Okhovvat<br>Major Fusarium diseases on crops and their control management with soil<br>solarisation in Northwest Iran  | 189 |
| Biocontrol  | 201 |
| E. Rubio-Pérez, M.L. Molinero-Ruiz, J.M. Melero-Vara and M.J. Basallote-<br>Ureba<br>Selection of potential antagonists against Asparagus crown and root rot<br>caused by <i>Fusarium</i> spp.                    | 203 |
| V. Jegathambigai, M.D.S.D. Karunaratne, A. Svinningen and G. Mikunthan<br>Potential of <i>Trichoderma</i> species on <i>Helminthosporium</i> causing leaf spot<br>on cane palm, <i>Chrysalidocarpus lutescens</i> | 207 |



|   |     |
|---|-----|
| <b>M.A. Amer and I.I. Abou-el-Seoud</b><br>Mycorrhizal fungi and <i>Trichoderma harzianum</i> as biocontrol agents for suppression of <i>Rhizoctonia solani</i> damping-off disease of tomato   | 217 |
| <b>G. Fiume and F. Fiume</b><br>Biological control of corky root in tomato  | 233 |
| <b>S. Peighamay-Ashnaei, A. Sharifi-Tehrani, M. Ahmadzadeh and K. Behboudi</b><br>Interaction of media on production and biocontrol of efficacy of <i>Pseudomonas fluorescens</i> and <i>Bacillus subtilis</i> against grey mould of apple  | 249 |
| <b>A.F. Carabet, I. Grozea, R. Chirita and A.M. Badea</b><br>Biological control of late blight [ <i>Phytophthora infestans</i> (Mont.) de Bary] in tomatoes with mycoextracts from <i>Fusarium culmorum</i> and <i>Fusarium graminearum</i> | 256 |
| <b>Fungicides</b>   | 263 |
| <b>T. Venditti, G. D'hallewin, A. Dore, M.G. Molinu, P. Fiori, C. Angiolino and M. Agabbio</b><br>Acetic acid treatments to keep postharvest quality of "Regina" and "Talloppo" tables grapes   | 265 |
| <b>D. Bertetti, A. Garibaldi and M.L. Gullino</b><br>Resistance of <i>Botrytis cinerea</i> to fungicides in Italian vineyards   | 273 |
| <b>Viruses and Phytoplasmas</b>   | 283 |
| <b>S.A. Ghazal, Kh.A. El-DougDoug, A.A. Mousa, H. Fahmy and A.R. Sofy</b><br>Isolation and identification of citrus psorosis virus Egyptian isolate (CPSV-EG)   | 285 |
| <b>A. Fanigliulo, R. Pacella, S. Gomes and A. Crescenzi</b><br>First record of tomato yellow leaf curl Sardinia virus (TYLCSV) on pepper in Italy   | 297 |
| <b>B. Rohani, M. Koochi-Habibi and Gh. Mosahebi</b><br>Nodule infection by bean yellow mosaic virus in <i>Vicia faba</i> and molecular characterization of it   | 303 |
| <b>H. Khateri, N. Moarrefzadeh, Gh. Mosahebi and M. Koochi-Habibi</b><br>Virus diseases in the tobacco fields of Guilan and Western Azerbaijan provinces in Iran  | 307 |
| <b>M.R. Safarnejad, R. Fischer and U. Commandeur</b><br>Generation and characterization of functional recombinant antibody fragments against tomato yellow leaf curl virus replication-associated protein                                   | 311 |

|  |     |
|--|-----|
| N.V. Girsova, T.B. Kastalyeva, K.A. Kromina, K.A. Mozhaeva and R.A. Owens  |     |
| Russian isolates of potato spindle tuber viroid  | 323 |
| N.V. Girsova, K.D. Bottner, T.B. Kastalyeva, K.A. Mozhaeva, R.A. Owens and I-M. Lee  |     |
| Identification of <i>Phytoplasma</i> species associated with potato diseases in Russia   | 331 |
| M. Aldaghi, S. Massart, Ph. Druart, A. Bertaccini, M.H. Jijakli and P. Lepoivre  |     |
| Preliminary evaluation of antimicrobial activity of some chemicals on in vitro apple shoots infected by ' <i>Candidatus phytoplasma mali</i> ' | 335 |
| B. Dupuis, N. Garcia and G. Boels  |     |
| Efficacy of potato seeds disinfection products to control <i>Erwinia</i> spp.  | 343 |
| Volume II  | 349 |

**Vol 73(3) 349-666 (2008)**

**COMMUNICATIONS IN AGRICULTURAL AND  
APPLIED BIOLOGICAL SCIENCES**

formerly known as

**MEDEDELINGEN FACULTEIT LANDBOUWKUNDIGE  
EN TOEGEPASTE BIOLOGISCHE WETENSCHAPPEN**

**PUBLISHERS**

Professoren  
Pascal Boeckx  
Peter Bossier  
Guy Smagghe  
Walter Steurbaut  
Els Van Damme  
Erick Vandamme  
Niko Verhoest

**EDITORIAL ADDRESS**

Coupure links 653  
9000 Gent (Belgium)

Website: <http://www.fbw.ugent/>

ISSN 1379-1176

The content of the contributions is in the responsibility of the authors

## **Proceedings**

# **60<sup>th</sup> INTERNATIONAL SYMPOSIUM ON CROP PROTECTION**

**Editor P. Spanoghe**

**Gent, May 20, 2008**

**Part II**



## CONTENTS

|  |     |
|--|-----|
| <b>IPM</b>   | 349 |
| G. Roy, K. Wateau, M. Legrand and S. Oste<br>Refuges, flower strips, biodiversity and agronomic interest   | 351 |
| M. Wenneker and H. Helsen<br>Non-chemical control of leaf curling midges and sawflies in berries and currants  | 361 |
| F.J. Verheggen, Q. Capella, J-P. Wathelet and E. Haubruge<br>What makes <i>Episurphus balteatus</i> (Diptera: Syrphidae) oviposit on aphid infested tomato plants?   | 371 |
| R.A. Boothe, D.J. Ponsonby, R.F. Preziosi and M.J.W. Copland<br>Tritrophic effects on survival and development in a coccidophagous coccinellid   | 383 |
| A. Donka, H. Sermann and C. Bütnner<br>Effect of the entomopathogenic fungus <i>Lecanicillium muscarium</i> on the predatory mite <i>Phytoseiulus persimilis</i> as a non-target oroganism   | 395 |
| B. Gobin, K. Heylen, J. Billen, L. Arckens and R. Huybrechts<br>Sublethal effects of crop protection on honey bee pollination: foraging behaviour and flower visits  | 405 |
| M. Miles, G. Kemmitt, F. Bakker and S. Aldershof<br>The impact of mancozeb on entomofauna communities in apple orchards  | 409 |
| <b>Agricultural entomology, insecticides</b>   | 419 |
| M. Bertossa and H.E. Hummel<br>Experiences with population dynamics of <i>Diabrotica virgifera virgifera</i> Leconte in the Swiss canton of Ticino up to 2007  | 421 |
| R.P. Blackshaw, R.S. Vernon and Helen Hicks<br>The wireworm pest complex: evidence for species differences from spatial studies  | 429 |
| J-M. Vassal, T. Brevault, J. Achaleke and P. Menozzi<br>Genetic structure of the polyphagous pest <i>Helicoverpa armigera</i> (Lepidoptera: Noctuidae) across the sub-Saharan cotton belt  | 433 |
| S. Moursi Khadiga, H.A. Mesbah, A.K. Mourad and I. Abdel-Razak Soad<br>Ecological studies on San José scale <i>Diaspidiotus perniciosus</i> (Comstock) (Homoptera: Diaspididae) as e new insect pest in pear trees in Burg el-Arab area, Alexandria, Egypt | 439 |

|  |     |
|--|-----|
| S. Rachokarn, N. Piyasaengthong and V. Bullangpoti<br>Impact of botanical extracts derived from leaf extracts <i>Melia azedarach</i> L. (Meliaceae) and <i>Amaranthus viridis</i> L. (Amaranthaceae) on populations of <i>Spodoptera exigua</i> (Hübner) (Lepidoptera: Noctuidae) and detoxification enzyme activities | 451 |
| U. Sanguanpong and H.E. Hummel<br>Toxicity of <i>Stemona</i> root against onion cutworm by using different contacting methods and solvents   | 459 |
| <b>Posters – Entomology</b>  | 469 |
| H.E. Hummel and U. Sanguanpong<br>Ergography: a method for analyzing and understanding temporal and thematic working patterns of prolific entomologists  | 471 |
| H.E. Hummel, A. Deuker, D. Eberhard, M. Glas and G. Leithold<br>The western corn rootworm ( <i>Diabrotica virgifera virgifera</i> ) and its first appearance in Germany 2007   | 481 |
| Ch. Ulrichs, S. Dinnesen, T. Nedelez, H.E. Hummel, S. Modic and G. Urek<br>Monitoring <i>Diabrotica v. virgifera</i> (Col.: Chrysomelidae) in Southeastern Slovenia: increasing population trend and host spectrum expansion   | 493 |
| I. Grozea, A. Carabet, R. Chirita and A.M. Badea<br>Natural enemies in control of invasive species <i>Diabrotica v. virgifera</i> from maize crops   | 501 |
| S.M. Beshr<br>Ultrastructural studies on <i>Icerya seychellarum seychellarum</i> (Westwood) ovaries (Hemiptera: Margarodidae)  | 509 |
| I. Abdel-Razak Soad, Sahar M. Beshr, A.K. Mourad and S. Moursi Khadiga<br>Ultrastructure of egg shell of four different Coccoidea species in Egypt   | 521 |
| A.K. Mourad, S. Moursi Khadiga, H.A. Mesbah and I. Abdel-Razak Soad<br>Scale insects and mealy bugs (Homoptera: Coccoidea) attacking deciduous fruit trees in the Westernnorth coast of Alexandria, Egypt)   | 529 |
| H.A. Mesbah, S. Moursi Khadiga, A.K. Mourad and I. Abdel-Razak Soad<br>Ecological studies on the greedy scale, <i>Hemiberlisia rapax</i> (Comstock) (Homoptera: Diaspididae) on pear trees in Burg el-Arab area, Alexandria, Egypt   | 547 |
| S. Trdan, M. Vidrih and A. Bobnar<br>Seasonal dynamics of three insect pests in the cabbage field in Central Slovenia  | 557 |
| M.M. Uddin, Ch. Ulrichs and I. Mewis<br><i>Phaedon cochleariae</i> (F.) performance on different crucifer varieties with different glucosinolate profiles  | 563 |



- R. Gil-Ortiz, J.V. Falco-Gari, M.T. Oltra-Moscardo, M. Martinez, J. Moreno-Mari and R. Jiménez-Peydro**  
Liriomyza - Wild plant interactions (Diptera: Agromyzidae) in Mediterranean ecosystems 573
- E. Bangels, Ch. De Schaetzen, G. Hayen, E. Paternotte and B. Gobin**  
The importance of arthropod pests in Belgian pome fruit orchards 583
- A. Ali, H. Sermann and C. Büttner**  
Susceptibility of *Ceratitis capitata* Wiedemann (Diptera: Tephritidae) to entomopathogenic fungus 589
- N. Thirkathipana and G. Mikunthan**  
Eco-friendly management of hadda beetle using *Beauveria bassiana* in Brinjal 597
- H. Boudjelida, L. Aissaoui, A. Bouaziz, G. Smagghe and N. Soltani**  
Laboratory evaluation of *Bacillus thuringiensis* (Vectobac WDG) against mosquito larvae, *Culex pipiens* and *Culiseta longiareolata* 603
- S. Phowichit, S. Buatippawan and V. Bullangpoti**  
Insecticidal activity of *Jatropha gossypifolia* L. (Euphorbiaceae) and *Cleome viscosa* L. (Capparidaceae) against *Spodoptera litura* (Lepidoptera: Noctuidae). Toxicity and carboxylesterase and glutathion-S-transferase activities studies 611
- T. Mucha-Pelzer, N. Debnath, A. Goswami, I. Mewis and C. Ulrichs**  
Comparison of different silicas of natural origin as possible insecticides 621
- K. Jaber, G. Cuartero Diaz, E. Haubruge and F. Francis**  
Investigation of carbohydrate binding property of a fungal lectin from *Xerocomus chrystenteron* and potential use on *Myzus persicae* aphid 629
- S. Moharramipour, A. Taghizadeh, M.H. Meshkatalasadat, A.A. Talebi and Y. Fathipour**  
Repellent and fumigant toxicity of essential oil from *Thymus persicus* against *Tribolium castaneum* and *Callosobruchus maculatus* 639
- M. Ahmadi, S. Moharramipour, M. Mozdarani and M. Negahban**  
Combined effect of gamma radiation and *Perovska atriplicifolia* for the control of red flour beetle, *Tribolium castaneum* 643
- A. Fanigliulo and M. Sacchetti**  
Emamectin benzoate: new insecticide against *Helicoverpa armigera* 651
- E. Bangels and B. Gobin**  
Efficacy results of insecticides against *Cydia pomonella*, the codling moth, in Belgium during the last decade (1998-2007) 655

|   |     |
|---|-----|
| N. Soltani, S. Chouahda and G. Smaghe   |     |
| Evaluation of halofenozide against prey mosquito larvae <i>Culex pipiens</i><br>and the predator fish <i>Gambusia affinis</i> : impact and growth and enzy-<br>matic activities | 659 |
| Volume III  | 667 |

**Vol 73(4) 667 - 974 (2008)**

**COMMUNICATIONS IN AGRICULTURAL AND  
APPLIED BIOLOGICAL SCIENCES**

formerly known as

**MEDEDELINGEN FACULTEIT LANDBOUWKUNDIGE  
EN TOEGEPASTE BIOLOGISCHE WETENSCHAPPEN**

**PUBLISHERS**

Professoren  
Pascal Boeckx  
Peter Bossier  
Guy Smagghe  
Walter Steurbaut  
Els Van Damme  
Erick Vandamme  
Niko Verhoest

**EDITORIAL ADDRESS**

Coupure links 653  
9000 Gent (Belgium)

Website: <http://www.fbw.ugent/>

ISSN 1379-1176

The content of the contributions is in the responsibility of the authors

## **Proceedings**

# **60<sup>th</sup> INTERNATIONAL SYMPOSIUM ON CROP PROTECTION**

**Editor P. Spanoghe**

**Gent, May 20, 2008**

**Part III**



## CONTENTS

|  |     |
|--|-----|
| <b>Nematology</b>  | 667 |
| J. Mukuka, O. Strauch and R-U. Ehlers<br>Variability in desiccation tolerance among different strains of the entomopathogenic nematodes <i>Heterorhabditis bacteriophora</i>   | 669 |
| B. Vandenbossche, W. Bert, G. Borgonie, N. De Sutter, G. Karssen and Nicole Viaene<br>Diversity and distribution of plant-parasitic nematodes in golf greens and football pitches  | 673 |
| Posters  | 679 |
| V. Jegathambigai, M.D.S.D. Karunaratne, A. Svinningen and G. Mikunthan<br>Biocontrol of root-knot nematode, <i>Meloidogyne incognita</i> damaging queen palm, <i>Livistona rotundifolia</i> using <i>Trichoderma</i> species | 681 |
| R. Campos-Herrera, S. Labrador and C. Gutiérrez<br>Virulence of Spanish entomopathogenic nematodes isolates against insect pests   | 689 |
| T. Stefanovska, V. Pidlishyuk and H. Kaya<br>Host range and infectivity of <i>Heterorhabditis bacteriophora</i> (Heterorhabditidae) from Ukraine   | 693 |
| A. Hirao and R-U. Ehlers<br>Influence of nematode inoculum density and temperature on development of <i>Steinernema carpocapsae</i> and <i>S. feltiae</i> in liquid culture  | 699 |
| <b>Application technology</b>  | 703 |
| E. Brusselman, D. Nuyttens, N. De Sutter, N. Viaene, W. Steurbaut and M. Moens<br>Effect of several centrifugal pump passages on the viability and activity of <i>Steinernema carpocapsae</i> , a biopesticide               | 705 |
| J. Vondricka and P. Schulze Lammers<br>Direct nozzle injection system for a real-time site-specific pesticide application  | 709 |
| H. Zhu, Y. Yu, H.E. Ozkan, R.C. Derksen and C.R. Krause<br>Evaporation and wetted area of single droplets on waxy and hairy leaf surfaces  | 711 |

|  |     |
|--|-----|
| M. De Schampheleire, D. Nuyttens, D. Dekeyser, P. Verboven and P. Spanoghe<br>Interception of spray drift by border structures. Part 1: wind tunnel experiments        | 719 |
| M. De Schampheleire, D. Nuyttens, D. Dekeyser, P. Verboven and P. Spanoghe<br>Interception of spray drift by border structures. Part 2: field experiments              | 723 |
| Posters  | 729 |
| C. Jianu, I. Cocan, C. Rujescu and I. Jianu<br>Colloidal competences of any polyethyleneglycol conjugates  | 731 |
| M. De Schampheleire, D. Nuyttens, D. Dekeyser and P. Spanoghe<br>Evaporation drift of pesticides active ingredients  | 739 |
| M. De Schampheleire, D. Nuyttens, D. Dekeyser, P. Verboven and P. Spanoghe<br>Occurrence of spray drift for different crop types: cereal, cereal stubble and grassland | 743 |
| D. Nuyttens, K. Baetens, M. De Schampheleire, D. Dekeyser and B. Sonck<br>Direct and indirect drift assessment means part 1: PPDA laser based droplet characterisation | 749 |
| D. Nuyttens, M. De Schampheleire, K. Baetens and B. Sonck<br>Direct and indirect drift assessment means part 2: wind tunnel experiments                                | 757 |
| D. Nuyttens, M. De Schampheleire, K. Baetens, D. Dekeyser and B. Sonck<br>Direct and indirect drift assessment means part 3: field drift experiments                   | 763 |
| D. Nuyttens, K. Baetens, M. De Schampheleire and B. Sonck<br>Direct and indirect drift assessment means part 4: a comparative study                                    | 769 |
| <b>Risk and Residues of pesticides</b>   | 775 |
| G. Small, M. Miles, I. Barber, P. Tsakonas and R. Bucchi<br>The soil Ecotoxicology of 1,3-dichloropropene under commercial growing conditions                          | 777 |
| I. Mestdagh, J. Maillet-Mezeray, A. Calus, V. Franssens and M. Röttele<br>Critical points for point source pollution in the Yser catchment area (Flanders-France)      | 787 |



|   |     |
|---|-----|
| <b>D. Godeaux, B. Schiffers and M. Culot</b><br>Environmental aspects in plant protection practices of non-agricultural pesticide users: case study of communes and the ministry of public works and transport (MET) of the Walloon region (Belgium)            | 799 |
| <b>D. Godeaux, B. Schiffers and M. Culot</b><br>Impact of the plant protection practices on the operators exposure: survey by the communes and ministry of equipment and transport (MET-RW)   | 811 |
| <b>S. Noel, B.B. Bah, G. Collinet, D. Buffet, A. Sorel and V. Hallet</b><br>CRA-W's committee of intervention: analyse of catchments polluted with pesticides   | 821 |
| <b>Posters - Pesticide residues, exposure and toxicity</b>  | 831 |
| <b>S.N. Azizi, M.J. Chaichi and N. Asemi</b><br>A study of some sorbents for adsorption of mancozeb residue from soil of tobacco fields of Mazandaran, Iran by analytical methods   | 833 |
| <b>Wan-Hong Wang, Shi-Cheng Wang and Yan-Hong Wang</b><br>Assessment of herbicides and organochlorine pesticides contamination in agricultural soils using gas chromatography - mass spectrometry   | 841 |
| <b>L. Donnarumma, V. Pompei, A. Faraci and E. Conte</b><br>Uptake of organochlorine pesticides by zucchini cultivars grown in polluted soils  | 853 |
| <b>E. Alexa, A. Lazureanu, S. Alda, M. Negrea and O. Iordanescu</b><br>Researches regarding extractable glyphosate residues from different soils  | 861 |
| <b>S. Siriarcharangoj, V. Chuaysuwan, C. Sudthonghong and V. Bullangpotti</b><br>Investigation of acute toxicity of <i>Jatropha gossypifolia</i> L. (Euphorbiaceae) and <i>Cleome viscosa</i> L. (Capparidaceae) extract on guppies, <i>Poecilia reticulata</i> | 871 |
| <b>L. Saadi, N. Lebaili and M. Benyoussi</b><br>Exploration of cytotoxic effect of malathion on some rat organs structure   | 875 |
| <b>N. Lebaili, L. Saadi, R. Mosbah and N. Mechri</b><br>Exploration of the cytotoxic effects of an insecticide, lambda cyhalothrin, on sexual exocrine function in the white rat  | 883 |
| <b>J. Tavaszi, B. Budai, A. Palovics and A. Kismanyoki</b><br>An alternative test battery in detecting ocular irritancy of agrochemicals  | 891 |
| <b>Herbology</b>  | 897 |
| <b>R. Alarcon-Reverte and S.R. Moss</b><br>Resistance to ACCase-inhibiting herbicides in the weed <i>Lolium multiflorum</i>   | 899 |

|  |     |
|--|-----|
| R. Hull, R. Marshall, L. Tatnell and S.R. Moss<br>Herbicide-resistance to mesosulfuron + iodosulfuron in <i>Alopecurus myosuroides</i> (Black-grass)   | 903 |
| E. Mechant, T. De Marez, O. Hermann and R. Bulcke<br>Resistance of <i>Chenopodium album</i> to photosystem II-inhibitors                               | 913 |
| M. Julia Alfonso<br>Weed management in <i>Solanaceae</i> crops in Portugal   | 919 |
| Posters  | 929 |
| H. Saremi and S.M. Okhovvat<br>Biological control of <i>Orobanche aegyptiaca</i> by <i>Fusarium oxysporum</i> f.sp. <i>orobanche</i> in northwest Iran | 931 |
| J. Aper, T. De Marez, E. Mechant and R. Bulcke<br>Chlorophyll fluorescence tests for monitoring triazinone resistance in <i>Chenopodium album</i> L.   | 939 |
| L. Fodor, E. Lehoczky, E. Fodorné Fehér, P. Nagy and A. Palmi<br>Crop competitiveness influenced by seeding dates and top-dress nitrogen rates         | 945 |
| E. Lehoczky, A. Kismanyoky, P. Nagy and T. Németh<br>Nutrient absorption of weeds in maize   | 951 |
| R. Chirita, I. Grozea, N. Sarpe and K.F. Lauer<br>Control of <i>Sorghum halepense</i> (L.) species in western part of Romania                          | 959 |
| Sz.E. Sarkany, E. Lehoczky and P. Nagy<br>Study on the seed production and germination dynamic of common milkweed ( <i>Asclepias syriaca</i> L.)       | 965 |
| K. Buzsaki, E. Lehoczky and I. Béres<br>Study on the development of yellow nutsedge ( <i>Cyperus esculentus</i> L.) with growth analysis               | 971 |