

Vol 77(3) 1-398 (2012)

**COMMUNICATIONS IN AGRICULTURAL AND
APPLIED BIOLOGICAL SCIENCES**

formerly known as

**MEDEDELINGEN FACULTEIT LANDBOUWKUNDIGE
EN TOEGEPASTE BIOLOGISCHE WETENSCHAPPEN**

PUBLISHERS

Prof. Pascal Boeckx
Prof. Peter Bossier
Prof. Guy Smagghe
Prof. Els Van Damme
Prof. Niko Verhoest
Bjorn Vandekerkhove

EDITORIAL ADDRESS

Coupure links 653
9000 Gent (Belgium)

Website: <http://www.fbw.ugent.be/>

ISSN 1379-1176

Proceedings

64th INTERNATIONAL SYMPOSIUM ON CROP PROTECTION

**Editorial Address
Coupure links 653
9000 Gent (Belgium)**

Gent, May 22, 2012

Part I

CONTENTS

Plenary Session	1
M. Held and T. Turlings Improving biocontrol by exploiting plant chemical signals above- and below ground - The story path from the lab to the field	3
J. Vossen, S. Zhu, K. Tok-Yong and E. Jacobsen A cisgenic potato late blight resistance breeding strategy	4
Special Session – ‘Nano’ – application, technology, risks	5
H. Safarpour, M. Reza Safarnejad, M. Tabatabaie and A. Mohsenifar Development of high-throughput quantum dot biosensor against <i>Polymyxa</i> species	7
Abstracts	15
H.E. Hummel Why nanotechnology in agricultural entomology	17
T. Pelzer, R. Bauer and C. Ulrichs Application of nanoparticles in agri-horticulture current state of the art	18
C. De Smedt, S. Biswas, D. Vandeput, T. De Wilde, P. Van der Voort and P. Spanoghe Adsorption of pesticides on metal organic frameworks for water treatment	19
H.E. Hummel Outlook into the future development of IPM based on nanoproducts for various pest insects	20
Session – Phytopathology – Biological and integrated control	21
M.M. Maldonado-Gonzalez, P.A.H.M. Bakker and J. Mercado-Blanco Use of <i>Arabidopsis thaliana</i> to study mechanisms of control over Verticillium wilt by <i>Pseudomonas fluorescens</i> PICF7	23
M. Tannieres, A. Beury-Cirou and D. Fauré Growth bio-stimulation of quorum-quenching bacteria by γ -heptalactone treatment in the hydroponic rhizosphere of <i>Solanum tuberosum</i>	29
N.G. Khong, B. Randoux, Ch. Tayeh, F. Coutte, N. Bourdon, B. Tisserant, F. Laruelle, Ph. Jacques and Ph. Reignault Induction of resistant in wheat against powdery mildew by bacterial cyclic lipopeptides	39

M.H.A. Moharam and O.O. Negim Biocontrol of Fusarium wilt disease in cucumber with improvement of growth and mineral uptake using some antagonistic formulations	53
J.B. Mbarga, G. Martijn ten Hoopen, A.D. Begoude, P.R. Tondje, J. Kuate, Z. Ambang, A. Amougou and B. Schiffers Efficacy of <i>Trichoderma asperellum</i> oil formulations on the control of Cocoa Black Pod Disease (<i>Phytophthora megakarya</i>)	65
M. Pugliese, M.T. Moreno Alvarez, M.L. Gullino and A. Garibaldi Effects of silicates from scaps of photovoltaic industries on powdery mildew of zucchini	75
Y. Schleusner, M. Bandte, M. Gossmann, M. Heiermann, M. Plöchl and C. Büttnner Survival of <i>Alternaria alternata</i> during anaerobic digestion of biomass in stirred tank reactors	79
Abstracts	85
A.W.G. Van der Wurff, M.A. van Slooten and M.A. Streminska The formable soil: disease suppressive substrates in horticulture	87
G. Khuong Hoang Hua, J. D'Aes, K. De Maeyer and M. Höfte Involvement of Phenazines and cyclic lipopeptides in interactions between <i>Pseudomonas</i> CMR12a and <i>Rhizoctonia solani</i> , causal agent of damping-off disease on Chinese cabbage	88
J. Davel, F. Coutte, N. Van Hese, E. Pauwelyn, M. Béchet, F. Krier, C. Boistel, M. Höfte and Ph. Jacques <i>Bacillus lipopeptides</i> : potential new biopesticide's against lettuce downy mildew	89
K.W. Reeh and G.C. Cuttler Utility of <i>Clonostachys rosea</i> for <i>Botrytis cinerea</i> management in wild blueberry	90
S. Van Beneden, J. Carrette, J. De Koker, M. Höfte and G. Haesaert Screening of different bio-fungicides to control grey mould in tomato	91
Session – Phytopathology I – Abstracts	93
B. Gehesquiere, F. Rys, M. Höfte, M. Maes, B. Gobin, J. Van Huylenbroeck and K. Heungens Genotypic and phenotypic variation in <i>Cylindrocladium buxicola</i>	95
M. De Backer, M. Maes, E. Van Bockstaele, T. Van der Lee and K. Heungens Indications of genetic recombination, international migration and local survival of <i>Puccinia horiana</i> based on new SNP markers	97

K. Van Poucke, A. Vercauteren, M. Maes and K. Heungens Microsatellite analysis of European <i>Phytophthora ramorum</i> isolates	98
S. Gomez, U. Steiner and H-W. Dehne Development and spread of rose downy mildew after localized inoculations under controlled conditions	99
H. Hosseini Moghaddam, L. Leus, J. De Riek, J. Van Huylenbroeck and E. Van Bockstaele QTL analysis of a diploid rose population for powdery mildew resistance	100
A. Schikora, S. Schenk, E. Steun and K-H. Kogel The bacterial N-acyl homoserine lactone oxo-C ¹⁴ -HSL from the tripartite <i>Piriformospora symbiosis</i> confers disease resistance via activation of ATMPK6 and ATMPK3	101
W. Van Hemelrijk, E. Croes and P. Creemers Efficacy of potassium bicarbonate towards scab on pome fruits	102
M. Frans, R. Aerts, K. Heungens, K. Van Poucke, M. Van Mechelen, C. Sauviller and L. Van Herck Sustainable control of internal fruit rot in bell peppers (<i>Capsicum annuum</i> L.)	103
F. Bafort, J-P. Perraudin and M.H. Jijakli The lactoperoxydase system, a natural and biological control of apple postharvest diseases	104
J. Derpmann, U. Steiner, H. Buschhaus and H-W. Dehne Fitness of <i>Botrytis cinerea</i> associated with resistance to thiophanate-methyl	105
H. Seifi, K. Curvers, A. Aziz and M. Höfte Resistance to <i>Botrytis cinerea</i> in sitiens, an abscisic acid-deficient tomato mutant, involves over-activation of the gaba-shunt to resist pathogen-induced senescence	106
Session – Phytopathology II	107
C. Deweer, A. Siah, K. Sahmer and P. Halama Evolution of <i>Mycosphaerella graminicola</i> resistance to epoxiconazole and pyrifenoxy in Northern France	109
M. Ors, A. Siah, B. Randoux, S. Selim, F. Boizet, G. Couleaud, C. Maumene, P. Halama and Ph. Reignault Evaluation of plant resistance inducers on different winter soft wheat cultivars against Septoria leaf blotch	117

M. Fiers, G. Lognay, J-P. Wathelet, M-L. Fauconnier and M.H. Jijakli Effect of a fungal infection on the profile of volatile organic compounds emitted by plant roots	125
Abstracts	129
C.A. Berdugo, U. Steiner, E-C. Oerke and H-W. Dehne Effects of fungicide applications at different growth stages on wheat physiology	131
S. Strathmann, M. Semar and U. Groeger Xemium® the BASF fungicide innovation	132
A. Van Heule, K. Audenaert, G. Haesaert, S. De Saeger and M. Höfte <i>Fusarium poae</i> : chemo type, plant-pathogen interaction and reaction to external stress triggers	133
S. Landschoot, W. Waegeman, K. Audenaert, J. Vandepitte, P. Van Damme, B. De Baets and G. Haesaert A field-specific web tool for the prediction of <i>Fusarium</i> head blight and DON content in Belgium	134
Z. Guo, B. Altincicek and H-W. Dehne Interaction between plant pathogenic <i>Fusarium</i> species and storage pests	135
V. Troch, K. Audenaert, B. Bekaert, M. Höfte and G. Haesaert Phylogeography and virulence structure of the powdery mildew population on its „new“ host triticale	136
J. Van Bockhaven, D. De Vleeschauwer, S. Balazadeh, M. Mueller-Roeber and M. Höfte Silicon-Mediated priming results in broad spectrum resistance in rice (<i>Oryza sativa</i> L.)	137
Posters – Phytopathology	139
T. Vleugels, J. Baert and E. Van Bockstaele Aggressiveness study on <i>Sclerotinia</i> isolates from red clover crops	141
H. Safarpour and M.R. Safarnejad Isolation, cloning and large scale expression of Glutathione-S-transferase (GST) protein of <i>Polymyxa betae</i>	145
R. Lo Scalzo, F. Fibiani, P. Pietromarchi, C. Mandala and A. La Torre Effects of different fungicide treatments on grape, must and wine quality	151

G. Ladu, G. Pani, T. Venditti, A. Dore, M.G. Molinu and G. D’Hallewin Natural resistance against pre- and post-harvest pathogens in Sardinian pears germplasm	163
A.B. Garcia-Carneros, I. Giron and L. Molinero-Ruiz Aggressiveness of <i>Cephalosporium maydis</i> causing late wilt of maize in Spain	173
G. Pani, M.G. Molinu, T. Venditti, A. Dore, G. Ladu and G. D’Hallewin Import risk analysis of fruit from Spain to Italy	181
L. Scrano, L. Fraddosio Boccono, S.A. Bufo, R. Carrieri, E. Lahoz and A. Crescenzi Morphological and molecular characterization of fungal populations possibly involved in the biological alteration of stones in historical buildings	187
S. D’Aquino, A. Barberis, D. Satta, L. De Pau and M. Schirra Preharvest treatments with fungicides and postharvest dips in sodium bicarbonate to control postharvest decay in stone fruit	197
S. D’Aquino, A. Barberis, A. Continella, S. La Malfa, A. Gentile and M. Schirra Individual and combined effects of postharvest dip treatments with water at 50°C, soy lecithin and sodium carbonate on cold stored cactus pear fruits	207
T. Venditti, A. Dore, M.G. Molinu and G. D’Hallewin Effect of acetic acid repeated treatments on postharvest quality of “Talloppo” table grapes	219
K. Pisarska and S.J. Pietre Isolation and partial characterization of culturable endophytic <i>Arthro bacter</i> spp. from leaves of maize (<i>Zea mays</i> L.)	225
Chia-Hua, Lin and Chao-Ying, Chen Characterization of defense-related LSGRP1 protein from lily (<i>Lilium</i> ‘Stargazer’)	235
M. Pugliese, M.L. Gullino and A. Garibaldi Compost suppressiveness against <i>Phytophthora</i> spp. on <i>Skimmia japonica</i> and Azalea	237
M. Pugliese, E. Cogliati, M.L. Gullino and A. Garibaldi Effect of climate change on <i>Alternaria</i> leaf spot of rocket salad and black spot of basil under controlled environment	241
D. Harzallah, N. Sadrati, A. Zerroug, S. Dahamna and S. Bouharati Endophytic fungi isolated from wheat (<i>Triticum durum</i> Desf.): evaluation of their antimicrobial activity, antioxidant activity and host growth promotion	245

O. Postolaky, T. Syrbu, N. Poiras, K. Baltsat, S. Maslobrod and S. Boortseva Streptomyces and micromycetes as perspective antagonists of fungal phytopathogens	249
S. Mezaache-Aichour, M. Sayah, M.M. Zerroug and A. Guechi The antagonism activity of bacteria isolated from potato cultivated soil	259
T. Desiya Kayalvily, V. Jegathambigai, M.D.S.D. Karunarathne, A. Svinningen and G. Mikunthan Prevalence of Erwinia soft rot affecting cut foliage, <i>Dracaena sanderiana</i> ornamental industry and solution towards its management	265
S. Sarani Introduction of some important antagonistic bacteria affecting on damping-off of Canola	275
A.Y. Elbekali, A. Siah, A. Ramdani, B. Tisserant, C. Deweer, M. Hafidi, Ph. Reignault and P. Halama Wheat <i>Mycosphaerella graminicola</i> interactions in Morocco	281
J. Ramanauskiene and I. Gaurilcikiene The peculiarities of winter wheat eyespot management under Lithuania conditions	287
M.H. Moharam, A. Lecreque and E. Koch Cultural characteristics of <i>Sporisorium sorghi</i> and detection of the pathogen in plant tissue by microscopy and PCR	297
Abstracts	311
K.T. Kouadio, C. De Clerck, T.A. Agneroh, P. Lepoivre and M.H. Jijakli Identification and distribution of viruses infecting banana plantain (AAB) in Ivory coast	313
C. De Clerck, F. Francis, P. Lepoivre and M.H. Jijakli Identification of <i>Pentalonia nigronervosa</i> bacterial endosymbionts and study of their implication on the banana bunchy top virus transmission efficiency	314
P. Nintije, C. De Clerck, J. Bigirimana, P. Lepoivre and M.J. Jijakli Banana macro propagation: an alternative way of producing seedlings for the farmers in Burundi	315
M.A. Streminska, M.A. Van Slooten, S. Roig-coll and A.W.G. Van der Wurff Suppression of <i>Pythium</i> root rot of cucumber in the soil previously subjected to anaerobic soil disinfection (ASD)	316
B. Declercq, N. Cap, J. De Nies and M. Höfte Belgian leek growers tackle white tip disease using a web model	317

- M. De Backer, T. De Langhe, L. De Rooster, D. Callens, M. Maes and K. De Jonghe**
Epidemiology of four cucurbit viruses in zucchini (*Cucurbita pepo*) in Flanders 318
- A.M. Roustae**
Study of interaction between salinity and black stem disease of sunflower caused by *Phoma macdonaldii* 319
- B. Hutzek, A. Toth, A. Valovics, I. Molnar, I. Somlyay and E. Toth**
Efficacy studies of picoxystrobin + cyproconazole containing fungicide preparation on sunflower diseases in Hungary 320
- A. Negahi, C. Ben, J-M. Prospéri, L. Gentzbittel, A. Ebrahimi, A. Sarrafi and M. Rickauer**
Genetic variability of tolerance to *Verticillium albo-atrum* (VAA) and *Verticillium dahliae* (VD) in *Medicago truncatula* 321
- J. Derera, P. Tongoona, W.A.J. De Milliano and M.D. Laing**
Resistance to *Phaeosphaeria* leaf spot a new disease in Southern African maize 322
- M.A. Al-Saleh, I.M. Al-Shahwanand, O.A. Abdalla and M.A. Amer**
Identification and molecular characterization of a phytoplasma associated with witches'-broom disease of alfalfa in Saudi Arabia 323
- S. Nazari, M. Javan-Nikkhah, K. Berdi Fotohifar, V. Khosravi, A. Alizadeh and M. Behnia**
Genetic diversity of *Bipolaris oryzae*, the causal agent of rice brown spot based on rep-PCR DNA fingerprinting in Mazandaran province, Iran 324
- J.A. Martinez, M. Roca and S. Banon**
Bacillus velezensis affects growth of *Botrytis cinerea* isolated obtained from potted plants 325
- M. Ganeson, C.V. Supramaniam and P.G. Alderson**
In vitro effect of chitosan on growth and lignin degrading enzyme production in *Ganoderma boninense*, basal system rot disease (BSR) pathogen of oil palm 326
- M. Javan-Nikkhah, N. Sedaghat Telgrad and R. Sharifi**
Ability of atoxigenic strain of *Aspergillus flavus* to prevent aflatoxin contamination of pistachio nut with toxigenic strain 327
- G. Mustafa, B. Tisserant, B. Randoux, J. Fontaine, J. Deravel, Ph. Reignault and A. Lounès-Hadj Sahraoui**
Ability of atoxigenic strains of *Aspergillus flavus* to prevent aflatoxin contamination of pistachio nut with toxigenic strain 328
- L. De Bruyne, M. Höfte and D. De Vleeschauwer**
Brassinosteroid mediated disease resistance in rice 329

O. Treikale, I. Priekule, B. Javoisha, M. Vilcans and Z. Vigule Integrated strategies for control of Fusarium head blight in wheat	330
O. Guler and R. Sumalan Research on the fungicide efficiency on winterwheat (<i>Triticum aestivum</i> L.) plant protection in specific climate conditions from Banat region, "School of varieties" program - large scale trials, in farm conditions	331
M. Davari, A.D. Van Diepeningen, A. Babai-Ahari, M. Arzanlou, R. Zare, M.J. Najafzadeh, B. Gerrits Van den Ende and S. De Hoog Identification of Fusarium species associated with wheat and wild grass species using rolling cycling amplification	332
Session – Herbology	333
J. Aper, J. De Riek, B. De Cauwer, R. Bulcke and D. Reheul The origin of metamilon resistant <i>Chenopodium album</i> populations in sugar beet	335
V. De Blauwer, K. Demeulemeester, A. Demeyere and E. Hofmans Maleic hydrazide: sprout suppression of potatoes in the field	343
B. De Cauwer, T. Geeroms, S. Claerhout, D. Reheul and R. Bulcke Sensitivity of locally naturalized <i>Panicum</i> species to HPPD- and ALS-inhibiting herbicides in Maize	353
B. Jaunard, J-P. Bizoux, A. Monty, F. Henriët, M. De Proft, F. Vancutsem, G. Mahy and B. Bodson Effect of mechanical weeding on wild chamomile (<i>Matricaria chamomilla</i> L.) populations in winter wheat crop (<i>Triticum aestivum</i> L.)	363
I. Vanaga Changes in dicot-weeds species composition in spring barley in Latvia during the past 20 years	369
Abstracts	379
M. Fagot, B. De Cauwer, D. Reheul, R. Bulcke, E. Boonen and A. Beeldens Integrating preventive and curative non-chemical weed control strategies on concrete block pavements	381
A. Fanigliulo, V. Fili and A. Crescenzi Evaluation of efficacy and effect of application timing of a new herbicide, A.I. propoxy-carbazone + iodosulfuron + mefenpyr, on <i>Triticum durum</i>	382

Posters – Herbology	385
O. Hernandez-Enriquez, R. Alvarez, F. Morelli, F. Bastida, D. Camacho and J. Menendez Low-impact chemical weed control techniques in UNESCO world heritage sites of Cuba	387
Abstracts	395
S. Porheidar Ghafarbi and S. Hassannejad The effects of different concentrations of some medicinal plant extracts on broomrape (<i>Orobanche cernua</i> Lofl.) seed germination	397

Vol 77(7) 399-800 (2012)

**COMMUNICATIONS IN AGRICULTURAL AND
APPLIED BIOLOGICAL SCIENCES**

formerly known as

**MEDEDELINGEN FACULTEIT LANDBOUWKUNDIGE
EN TOEGEPASTE BIOLOGISCHE WETENSCHAPPEN**

PUBLISHERS

Prof. Pascal Boeckx
Prof. Peter Bossier
Prof. Guy Smagghe
Prof. Els Van Damme
Prof. Niko Verhoest
Bjorn Vandekerkhove

EDITORIAL ADDRESS

Coupure links 653
9000 Gent (Belgium)

Website: <http://www.fbw.ugent.be/>

ISSN 1379-1176

Proceedings

64th INTERNATIONAL SYMPOSIUM ON CROP PROTECTION

**Editorial Address
Coupure links 653
9000 Gent (Belgium)**

Gent, May 22, 2012

Part II

CONTENTS

Session: Pesticide residues, toxicology and ecotoxicology	399
H. Wustenberghs, I. Delcour, K. D'haene, L. Lauwers, F. Marchand, W. Steurbaut and P. Spanoghe Dual indicator set for sustainable crop protection: do's and don'ts	401
M. Van 't Zelfde, W.L.M. Tamis, M.G. Vijver and G.R. De Snoo Linking land use with pesticides in Dutch surface waters	407
Z. Kadri, S. Sylla, F. Lebeau and B. Schiffers Assessment of the risk of dermal exposure to pesticide during treatment with a back-pack sprayer in the presence and absence of vegetation	415
Abstracts	423
L. Van Esch, I. Joris, G. Engelen, P. Seuntjes and S. Overloop Spatial analysis of pesticide use in agriculture and emissions to water	425
E. Pauwelyn, S. Vergught and D. Martens Sentinel removes crop protection products out of remnant water from spraying applications	426
K. Doan Ngoc, A. Carlier and P. Spanoghe Worker exposure during different re-entry activities in a Flemish ornamental greenhouse	427
Posters: Pesticide residues, toxicology and ecotoxicology	429
B. Boonsoong and V. Bullangpoti Acute toxicity of Roundup® and carbosulfan to the Thai fairy shrimp, <i>Branchinella thailandensis</i>	431
Watchariya Purivirojkul Potential application of extracts from Indian almond (<i>Terminalia catappa</i> Linn.) leaves in Siamese fighting fish (<i>Betta splendens</i> Regan) culture	439
P. Budai, R. Szabo, J. Lehel, E. Kormos, A. Takacs, A. Tatai and G. Somody Toxicity of chlorothalonil containing formulation and Cu-sulphate to chicken	449

Abstracts	455
M. Houbraken and P. Spanoghe Influence of surfactants on the volatilization of pesticides	457
J-P. Nabléni Ouattara, P. Spanoghe, J. Louwagie and O. Pigeon Approach to assess exposure to dislodge able pyrethroids residues for mosquito nets	458
J-P. Nabléni Ouattara, P. Spanoghe, O. Pigeon and J. Louwagie Effects of washing processes on long lasting insecticidal mosquito nets	459
K. Doan Ngoc, B. Beck et al. Capex: collection and assessment of data relevant for non-dietary cumulative exposure to pesticides and proposal for conceptual approaches for non-dietary cumulative exposure assessment	460
K. Doan Ngoc, P. Spanoghe et al. Development of an improved model for worker exposure assessment within the browse project	461
I. Delcour, J. De Win, L. Jacksens and P. Spanoghe Development and validation of a prioritization methodology for sampling and analysis of pesticide residues in fresh fruit and vegetables	462
A. Maize, N. Aribi, G. Smagghe and N. Soltani Laboratory evaluation of the naturally-derived insecticide spinosad against German cockroaches: efficacy and impact on reproduction	463
Sami Tine, N. Aribi and N. Soltani Activity of azadirachtin against <i>Blatta orientalis</i> : Morphometry and biochemistry of ovary during two gonadotrophic cycles	464
F. Tine-Djebbar, G. Smagghe and N. Soltani Activity of halofenozide against a mosquito species (<i>Culex pipiens</i>): Morphometry, biochemistry and caloric indexes	465
R. Belhamra, F. Kermich, F. Tine-Djebbar and N. Soltani Chronic toxic effects of actara on a non-target fish species <i>Gambusia affinis</i> : nucleic acids and proteins	466
Session: Application technology	467
S. Vulgarakis Minov, F. Cointault, J. Vangeyte, J.G. Pieters, B. Hijazi and D. Nuyttens Development of an imaging system for single droplet characterization using a droplet generator	469

A. Fanigliulo, V. Fili and A. Crescenzi	
Evaluation of efficacy and effect of application timing of a new herbicide, a.i. propoxycarbazone + iodosulfuron + mefenpyr on <i>Triticum durum</i>	483
L. Suciu, R. Sumalan and D. Moga	
Integrated sensor-based monitoring system for pest and disease control in greenhouses	489
Abstracts	495
T. Smets, T. Vanwallegem, P. Creemers, M. Delele and P. Verboven	
Thermonebulisation, a new postharvest treatment technique in the cold storage room towards fruit rot decay in pome fruit	497
N. Hendrickx and P. Creemers	
Let the cloud disappear: a study to promote drift mitigation in orchard spraying	498
K.W. Reeh and G.C. Cutler	
Bumble bee bio vectoring for disease management in wild blueberry	499
Posters: Application technology	501
A. Dore, M.G. Molinu, G. Pani, G. Ladu, T. Venditti and G. D'hallewin	
Ultrasound application for the control of decay on apple at different stage of ripening	503
M.G. Molinu, G. Pani, T. Venditti, A. Dore, G. Ladu and G. D'hallewin	
Alternative methods to control postharvest decay caused by <i>Penicillium expansum</i> in plums (<i>Prunus domestica</i> L.)	509
G. D'hallewin, G. Ladu, G. Pani, A. Dore, M.G. Molinu and T. Venditti	
Postharvest physio-pathological disorders in table grapes as affected by UV-C light	515
Abstracts	527
E. Pauwelyn	
TOPPS-prowadis will reduce diffuse losses of plant protection products to water	529
R. Aerts, M. Frans, L. Vogels and K. Heyens	
Sporulation medium for <i>Trichoderma</i> sp.	530

Session: Agricultural entomology and Acarology I	531
N. Dassonville, T. Thielemans, M. Ruisinger and V. Rosemeyer Preventive control of aphids in ornamental plants with complementary parasitoids	533
W. Rattanapun Biology and potentiality in biological control of <i>Micraspis discolor</i> (Fabricius) (Coleoptera: Coccinellidae)	541
Abstracts	549
B. Beck, E. Brusselman, D. Nuyttens, S. Pollet, F. Temmerman, W. Steurbaut and P. Spanoghe Improving the control of the cabbage moth (<i>Mamestra brassicae</i>) with entomopathogenic nematodes	551
D. Vangansbeke, L. De Schrijver, T. Spranghers, J. Audenaert, R. Verhoeven, B. Gobin, L. Tirry and P. De Clercq The effect of alternating temperatures on life table parameters and predation capacity of three phytoseiid predators of the two-spotted spider mite	552
B. Ingels, A. Aebi, T. Van Leeuwen and P. De Clercq Detection of intraguild predation by <i>Harmonia axyridis</i> using molecular methods	553
M. Amin Jalali and J.P. Michaud Aphid-plant interactions affect the suitability of <i>Myzus</i> spp. for <i>Adalia bipunctate</i>	554
M. Schott, C. Wehrenfennig, T. Gasch, R-A. Düring, H.E. Hummel and A. Vilcinskis Improvement of a biological pest-control method with a portable device utilizing insect antennae and gas sensors	555
H.E. Hummel and M. Bertossa A decade of sustainable Diabrotica management below economic thresholds by enforced crop rotation in southern Switzerland: a remarkably simple and effective approach recommended for adoption by other European countries	556
J. Bonte, M. De Rod, D. Conlong and P. De Clercq Thermal biology and two southern African <i>Orius</i> spp. (Hemiptera: Anthocoridae)	557
D. Durieux, C. Fischer, J-L. Deneubourg, Y. Brostaux, G. Lognay, A. Vandereycken, E. Joie, E. Haubruge and F.J. Verheggen Factors involved in the aggregation of <i>Harmonia axyridis</i> Pallas	558

Session: Agricultural Entomology and Acarology II	559
F. Barsics, R. Latine, A. Gfeller, M. Laloux, G. Lognay, J-P. Wathelet, E. Haubruge and F.J. Verheggen Do root-emitted volatile organic compounds attract wireworms?	561
A.S.A. Saad, A.K.K. Mourad, M.A. Masoud and M.A.S. Ghorab Comparative studies of semi-artificial diets on the biology and the bio-nomics of the European corn borer, <i>Ostrinia nubilalis</i> Hübner (Or.: Lepi-doptera, Fam.: Pyralidae)	567
Abstracts	577
R. Liguori, R. Senn, E. Hilleshaim, J. Vogel and R. Correia Advantages of insecticide mixtures with chloroantraniliprole	579
G. Giner, S. Caccia, M. Balcells, J. Avilla and G. Smaghe Midgut as a target of allyl ester insecticidal action	580
S. Attia Mechanism of acaricidal persistence and the emergence of resistance of 4 natural products against <i>Tetranychus urticae</i>	561
L. Aba Toumnoou, D. Seck, S. Namkossereana, C. Thiaw and M. Sembene Insecticidal potential of indigenous plants from Central Africa Republic against for postharvest protection of stored products of Aka pygmies	582
Posters: Agricultural entomology and acarology	583
H.E. Hummel, L. Wagner, M. Bertossa, A. Deuker and G. Leithold <i>Diabrotica virgifera virgifera</i> on south-northern expansion drive?	585
B. Vaitelyté and I. Brazauskiené The incidence of <i>Ceutorhynchus</i> species in winter oilseed rape in Lithuania	595
W. Rattanapun Diversity and population dynamics of pests and predators in irrigated rice fields with treated and untreated pesticide	601
O.A. Zaghoul, A.K.K. Mourad, V. Bullangpoti and Saly A. Eziza Different patterns of acid and alkaline phosphatases activities during embryogenesis and in emerged adults of <i>Helicoverpa armigera</i> (Lepidop-tera: Noctuidae)	611

- P. Gombac and S. Trdan**
Two years research on efficiency of two intercrops, birdsfoot trefoil and summer savory, to reduce damage caused by onion thrips (*Thrips tabaci* Lindeman, Thysanoptera, Thripidae) on leek 621
- A. Almasi, Q. Sabahi and A. Kavousi**
The persistence toxicity of four insecticides against adult *Hippodamia varigata* (Coleoptera: Cocinellidae) 627
- A. Baghdadi, F. Sharifi and A. Mirmoayedi**
Investigation on some biological aspects of *Chrysoperla lucasina* (Chrysopidae: Neuroptera) on Bemisia tabaci in laboratory conditions 635
- H.E. Hummel, M.T. Eisinger, D.F. Hein, M. Breuer, S. Schmid and G. Leithold**
New dispenser types for integrated pest management of agriculturally significant insects pests: an algorithm with specialized searching capacity in electronic data bases 639
- H.E. Hummel, T. Czyrt, S. Schmid, G. Leithold and A. Vilcinskas**
Sex pheromone monitoring as a versatile tool for determining presence and abundance of *Cydia pomonella* (Lep.: Tortricidae) in German apple orchards 647
- E. Bangels and T. Belien**
Consistent codling moth population decline by two years of mating disruption in apple: a Flemish case study 653
- T. Belien, R. Moerkens, H. Leirs and G. Peusens**
Earwig management tool: and IPM decision aid system for augmentation of European earwig populations (Dermaptera: Forficulidae) in pip fruit orchards 657
- G. Peusens and T. Belien**
Life cycle and control of the forest bug *Pentatoma rufipes* L. in organically managed pear orchards 663
- F. Censier, S. Chavalle, D. Wittouck, M. De Proft and B. Bodson**
Chemical control of *Haplodiplosis marginata* von Roser (Diptera: Cecidomyiidae) 667
- A. Fanigliulo, O. Mancino, P. Fanti and A. Crescenzi**
Chlorantraniliprole/lambda-cyhalothrin, a new insecticide mixture to control *Tuta absoluta* and *Spodoptera littoralis* in tomato 677
- R. Zemek, H.M. Hussein and E. Prenerova**
Laboratory evaluation of *Isaria fumosorosea* against *Spodoptera littoralis* 685

S. Karthiga, V. Jegathambigai, M.D.S.D. Kuranarathne, A. Svinningen and G. Mikunthan	
Snails and slugs damaging the cut foliage, <i>Cordyline fruticosa</i> and use of biorationals towards their management	691
H.A. Mesbah, M.B. El-Kady, A.K. Mourad, A.M. Kordy, R.M. Gouda and G.M. Ibrahim	
Efficiency of guva and lemon grass fine dusts on the potato tuber moth <i>Phthorimaea operculella</i> (Zeller) (Lepidoptera: Gelechiidae)	699
W. Panvongsa, T. Preedawan, B. Boonsoong and V. Bullangpoti	
Antifeedant effect of <i>Jatropha gossypifolia</i> senescent leaf extract on <i>Spodoptera exigua</i>	715
P. Junhiun, W. Pluempanupat and V. Bullangpoti	
Toxicological study of <i>Wedelia trilobata</i> (Asteraceae) extracts as alternative control strategies for <i>Plutella xylostella</i> (Lepidoptera: Plutellidae)	721
N. Francesena, M. Haramboure, G. Smagghe, T. Stadler and M.I. Schneider	
Preliminary studies of effectiveness and selectivity of Movento® on <i>Bemisia tabaci</i> and its parasitoid <i>Eretmocerus mundus</i>	727
Abstracts	735
I. Grantina and I. Apenite	
Occurrence of cabbage stem weevil <i>Ceutorhynchus</i> spp. and its impact on the yield of winter oilseed rape in Central Latvia	737
I. Jovicic, A. Vucetic and O. Petrovic-Obradovic	
Population dynamics of alfalfa aphids in Serbia	738
P. Sipos, Z. Marczali and V. Marko	
Apple blossom weevil (<i>Anthonomus pomorum</i> L. 1758 Coleoptera: Curculionidae) in Hungarian organic apple orchards and possible control methods	739
T. Gotlin Culjak, I. Juran, W. Büchs and D. Grubisic	
Impact of trap cropping on occurrence of spring oilseed rape pests	740
A. Vandereycken, E. Joie, E. Haubruge and F.J. Verheggen	
Phenology of the invasive coccinellid <i>Harmonia axyridis</i> Pallas and other aphidophages in crops	741
B. Fassotte, D. Durieux, E. Haubruge and F.J. Verheggen	
Characterization of <i>Harmonia axyridis</i> (Pallas) overwintering sites	742

- L. Miranda, N. Fancesena, G. Smagghe, N. Desneux and M. Ines Schneider
First record of intraguild predation between *Harmonia axyridis* and *Eriopis connexa* (Coleoptera: Coccinellidae) at different aphids prey levels in Argentina 743
- A.M. Vacari, G.O. De Magalhaes, D.G. Ramalho, V.L. De Laurentis, R.A. Polanczyk and S.A. De Bortoli
Podisus nigrispinus: effect of *Bacillus thuringiensis* sprayed on plant and preys 744
- H. Bennmessaoud-Boukhalifa and M. Ghazali
Spatiotemp distribution of *Macrolophus caliginosus* Wagner (Hem. Miridae) on the west coast of Algiers 745
- A.O. Abd El-Latif, K.R. Kranthi, S. Kranthi, A. Sarwar and B. Subrahmanyam
Overexpression of cytochrome P450 CYP6B7 mediated metabolic pyrethroids resistance in Indian strains of the cotton bollworm, *Helicoverpa armigera* (Hübner) 746
- R.A. Polanczyk, V.L. De Laurentis, H.X. Linhares Volpe, A.C. Pires Veiga, A.M.M. Vacari and S.A. De Bortoli
Susceptibility of four *Plutella xylostella* Brazilian populations to *Bacillus thuringiensis* Berliner 747
- H. Valizadeh, H. Abbasipour, H. Farazmand and A. Askrarianzadeh
Effect of kaolin, diatomaceous earth and essential oils of menthol and eucalyptus on oviposition deterrence of the vine cicada, *Psalmocharias alhageos* (Kol.) (Homoptera: Cicadidae) 748
- S. Phuchum, S. Phooteng, C. Prinrakoon, B. Boonsoong, W. Pluempanapat and V. Bullangpoti
Comparison of toxicity from some Thai botanical pesticides on *Spodoptera exigua* (Lepidoptera: Noctuidae) 749
- H. Hokkanen, O. Boecking, et al.
Bicopoll: targeted precision biocontrol and enhanced pollination 750
- Session: Nematology** 751
- W.T. Runia, L.P.G. Molendijk, D.J.W. Ludeking and C.H. Schomaker
Improvement of anaerobic soil disinfestation 753
- Abstracts** 763
- R.U. Ehlers
Control of the corn rootworm with *Heterorhabditis bacteriophora* ready for use 765

- S. Pollet, F. Temmerman, P. France, E. Brusselman, B. Beck, L. Delanotte, D. Callens, D. Nuyttens and P. Spanoghe**
Field efficacy of *Steinernema feltiae* for the control of the cabbage maggot (*Delia radicum*) 766
- S. Van Niekerk and A.P. Malan**
The control of *Planococcus citri* (Risso) (Hemiptera: Pseudococcidae), the citrus mealy bug, using entomopathogenic nematodes 767
- E.G.J. Danchin, L. Perfus-Barbeoch et al.**
Mining putative plant parasitism functions in nematodes 768
- A.A. Elling, D.A. Humphreys, P.T.Y. Dinh and C. Bates**
Variability in *Meloidogyne chitwoodi* and the use of effector genes as control targets 769
- K. Nahar, T. Kyndt, Y.B. Nzogela and G. Gheysen**
The Battle between rice and nematodes: analyzing the role of hormones and defense pathways 770
- M. Baklawa, B. Niere and S. Massoud**
Influence of temperature and storage periods on the hatching behavior of *Heterodera avenae* from Egypt 771
- B. Vandenbossche, B. Niere and S. Vidal**
The effect of experimental soil heating on *Heterodera schachtii* populations on sugar beet 772
- T.H. Been, L.P.G. Molendijk and C.H. Schomaker**
In vitro nematicidal effect of wintergreen, palmarosa, tagetes, thyme and basil on second stage juveniles of *Globodera pallida* in the liquid and gaseous phase 773
- L.P.G. Moldendijk, T.G. van Beers, T.H. Been and C.H. Schomaker**
A field trial on the nematicidal effect of different formulations of wintergreen, palmarosa and tagetes on *Globodera pallida* 774
- P. Mwaura, B. Niere and S. Vidal**
Evaluation of potato varieties for resistance and tolerance to potato-rot nematode 775
- M.G. Teklu, T.H. Been and C.H. Schomaker**
Relative susceptibilities of potato genotypes with a single resistant gene for *Meloidogyne chitwoodi* 776

Posters: Nematology	777
V.A. Tsygankova, T.R. Stefanovska, A.P. Galkin, S.P. Ponomarenko and Ya.B. Blume Inducing effect of PGRS on small regulatory si/miRNA in resistance to sugar beet cyst nematode	779
Abstracts	789
G. Chemedo Abedeta, L. Waeyenberge, N. Viaene and M. Moens Validation of a species-specific primer for identification of <i>Heterodera schachtii</i> and screening of actin gene for species-specific primer design	791
N. Schouteden, C. Vos, B. Panis and D. De Waele Effect of the defence elicitor chitosan on root-knot nematodes	792
B.M. Ngala, P.P.J. Haydock, S. Woods and M. Back The use of <i>Brassica</i> species for the management of potato cyst nematode infestations of potatoes	793
N. Grujic, M. Radivojevic, B. Njezic and A. Avramovic Pathogenicity of entomopathogenic nematodes to <i>Stelidota geminata</i> (SAY)	794
N. Grujic, M. Jovanovic and M. Radivojevic Hatch test of potato cyst nematodes from Serbia with selected stimulants	795
M. Radivojevic and N. Grujic Effect of <i>Tagetes patula</i> on hatch of <i>Globodera rostochiensis</i> under field conditions	796
Y. Oka, S. Shuker and N. Tkachi Fluensulfone is not affected by its repeated application and by nematocide-degrading soils under laboratory conditions	797
D. Grubisic, T. Gotlin Culjak, B. Stojnic, M. Brmez and T. Benkovic-Lacic Slug control in cabbage using nematode <i>Phasmarhabditis hermaphrodita</i> Schneider	798
A. Soheili, A. Saeedizadeh and A. Eskandari Evaluation of effect of <i>Brassica</i> sp. for the control of tomato root-knot nematode, <i>Meloidogyne javanica</i>	799
M. Haghani, M. Roodaki and M. Abdollahi Efficiency of entomopathogenic nematode <i>Steinernema feltiae</i> (Rhabditida: Steinernematidae) against rice weevil <i>Sitophilus oryzae</i> (Coleoptera: Curculionidae) at different constant temperatures under laboratory conditions	800