

**COMMUNICATIONS IN AGRICULTURAL AND
APPLIED BIOLOGICAL SCIENCES**

Formerly known as

**MEDEDELINGEN FACULTEIT LANDBOUWKUNDIGE
EN TOEGEPASTE BIOLOGISCHE WETENSCHAPPEN**

PUBLISHERS

Prof. Pascal Boeckx
Prof. Peter Bossier
Prof. Guy Smagghe
Prof. Els Van Damme
Prof. Niko Verhoest
Bjorn Vandekerkhove

EDITORIAL ADDRESS

Coupure links 653
9000 Gent (Belgium)

Website: <http://www.fbw.ugent.be/>

ISSN 1379-1176

The contents of the contributions published in this book are under the full responsibility of the authors. The organizing committee cannot be held responsible for any errors in this publication and potential consequences thereof.

Proceedings

**65th
INTERNATIONAL SYMPOSIUM
ON CROP PROTECTION**

**Editorial Address
Coupure links 653
9000 Gent (Belgium)**

Gent, May 21, 2013

Part I

PATRONS

Faculty of Bioscience Engineering, Ghent University, Gent, Belgium
Research Foundation - Flanders, Brussels, Belgium

BASF Crop Protection, Brussels, Belgium
Biobest Biological Systems, Westerlo, Belgium
Certis Europe, Brussels, Belgium
Convion Germany, Berlin, Germany
Croda Europe Ltd., East Yorkshire, United Kingdom
Dow Agrosciences, Edegem, Belgium
Evonik Industries AG, Essen, Germany
Fytolab, Gent, Belgium
LemnaTec, Wuerselen, Germany
Novolab, Geraardsbergen, Belgium
Syngenta Crop Protection, Brussel, Belgium
VWR International, Leuven, Belgium
Wii Research Europe, 's Hertogenbosch, the Netherlands

ORGANIZING COMMITTEE

**HONORARY
CHAIRMEN**

**D. DEGHEELE (†), W. DEJONCKHEERE (†),
A. GILLARD, R.H. KIPS (†), C. PELERENTS,
J. POPPE, W. STEURBAUT, J. STRYCKERS (†),
J. VAN DEN BRANDE (†), W. WELVAERT**

**ORGANIZING
COMMITTEE**

**P. SPANOGHE (Chair), B. DE CAUWER,
P. DE CLERCQ, M. HÖFTE, M. MOENS,
G. SMAGGHE, L. TIRRY**

**B. VANDEKERKHOVE (Secretary)
H. VAN BOST (Assistant-secretary)**

**ADVISORY
COMMITTEE**

**D. BYLEMANS, J. COOSEMANS, P. CORNELIS,
W. DE COEN, M. DEMEULEMEESTER, R. DE VIS, B.
GOBIN, G. HAESAERT, E. PRINSEN,
D. REHEUL, E. VAN BOCKSTAELE, Els VAN DAMME,
J. VANDENBROECK, G. VAN HUYLENBROECK,
M.C. VAN LABEKE**

SECTIONS

Chairmen

- B. DE CAUWER**, Ghent, Belgium
- K. DE JONGHE**, Merelbeke, Belgium
- D. DE WAELE**, Leuven, Belgium
- B. GOBIN**, Destelbergen, Belgium
- H. HOKKANEN**, Helsinki, Finland
- H.E. HUMMEL**, Giessen, Germany
- P. JACQUES**, Villeneuve d'Ascq, France
- J.P. JANSEN**, Gembloux, Belgium
- A.M.C. SCHILDER**, East Lansing, Michigan, USA
- W. VAN HEMELRIJCK**, Sint-Truiden, Belgium

Vice-chairmen

- S. DE CARVALHO FRANÇA**, Ghent, Belgium
- L. DEN NIJS**, Wageningen, the Netherlands
- D. DE VLEESSCHAUWER**, Ghent, Belgium
- F. HENRIET**, Gembloux, Belgium
- M. MÄND**, Tartu, Estonia
- A.K. MOURAD**, Alexandria, Egypt
- E. PAUWELYN**, Rumbeke-Beitem, Belgium
- P. REIGNAULT**, Calais, France
- T. VAN LEEUWEN**, Ghent, Belgium

CONTENTS

Plenary Session	1
G. Doruchowski Challenges and advances in pesticide application technology	3
Abstract	7
J. Van klaveren Cumulative pesticide risk assessment in Europe	9
Special session – Entomovectoring (Abstracts)	11
V. Mommaerts, Y. Jacques, F.X. Boulanger, K. Put, T. Bollens, G. Smaghe and F. Wäckers The evolution of the “Flying doctors” bumble bee dispenser	13
B. Maccagnani, R. Ferrari and M. Pozzati Honeybee delivered <i>Gliocladium catenulatum</i> against Grey Mould on strawberry	14
M-L. Lahdenperä Practical use of biofungicide Prestop® mix in entomovectoring on soft fruit crops	15
B. Maccagnani, R. Ferrari and M. Pozzati <i>Osmia cornuta</i> efficiency by loading up the biocontrol agent <i>Bacillus amyloliquefaciens</i> from a dispenser	16
J. Tanyi Tambe, P. Riolo, L. Landi and W. Bert Nematodes vectored by <i>Rhynchophorus</i> weevils	17
I. Menzler-Hokkanen, H. Hokkanen, B. Maccagnani, M-L. Lahdenperä, V. Mommaerts, G. Smaghe, R. Karise, R. Muljar and M. Mänd Entomovectored biocontrol of strawberry Grey Mould shows promise Europe-Wide	18
H. Hokkanen and I. Menzler-Hokkanen Entomovectoring needs healthy, strong bee colonies: the Sanibee® concept	19

Posters – Entomovectoring (Abstracts)	21
L. Demeyer, H. Hokkanen, I. Menzler-Hokkanen, B. Maccagnani, R. Karise, R. Muljar, M. Mänd, M-L. Lahdenperä, C. Eken, A. Cokl, O. Boecking and G. Smagghe	
Introduction to entomovectoring and FP7 project “BICO POLL”	23
M. Mänd and R. Karise	
Bumble bees as entomovectors in open fields of strawberry	24
C. Eken, S. Tuncer, T. Genç and Z. Kadioğlu	
Present situation of honey bees and bumble bees having potential entomovector technology in Turkey	25
R. Karise and M. Mänd	
Prestop mix might raise the water loss rate of foraging bumble bees	26
L. De Meyer, V. Mommaerts, B. Ceuppens, I. Meeus and G. Smagghe	
Safe use of <i>Metarhizium anisopliae</i> with bumble bees for Entomovectoring 27	
Session – Application Technology	29
H.H. Boukhalfa, M. Massinon and F. Lebeau	
High-speed imaging use to predict spray retention on barley leaves	31
G. Doruchowski, P. Balsari, P. Marucco, A. Herbst, H-J. Wehmann, M. Roettele, E. Gil, S. Codis and E. Pauwelyn	
Decision support tools for environmentally safe use of pesticides	37
Abstracts	47
E. Pauwelyn, G. Doruchowski, P. Balsari, J. Maillet Mezeray, B. Real and M. Roettele	
Risk Evaluation tools and mitigation measures to reduce water contamination by PPPS	49
H. Wustenberghs, I. Delcour, T. De Baets, C. De Schaetzen, K. D’haene, L. Lauwers, F. Marchand, N. Taragola, W. Steurbaut and P. Spanoghe	
The indicator set discuss: first learning steps towards practice	50
K.D. Ngoc, P. Spanoghe, E. Van Den Berg, R. Glass, L. Frewer, E. Capri, R. Gerritsen-Ebben, C. Butler-Ellis, A. Charistou, M. Kennedy and A. Hart	
Development of an improved model for worker exposure assessment within the BROWSE project	51

Posters – Application Technology	53
S. D’aguino, M. Malinconico, M. Avella, M.L. Di Lorenzo, Mura and A. Palma	
Quality changes of ‘Sanguinello’ oranges wrapped with different plastic films under simulated marketing conditions	55
G.L. Petretto, M. Foddai, M.T. Maldini, M. Chessa, T. Venditti, G. D’hallewin and G. Pintore	
A novel device for the study of antimicrobial activity by vapor-contact of volatile substances on food products	65
A. Palma, N.P. Mangia, A. Fadda, A. Barberis, M. Schirra and S. D’Aquino	
Effect of different film packaging on microbial growth in minimally processed cactus pear (<i>Opuntia ficus-indica</i>)	73
M.L. Ciavatta, M. Gavagnin, M. Serra, D. Sanna, A. Palma, A. Barberis, M. Schirra and A. Fadda	
Effect of heat treatments on biomolecular profile of Sardinian apple cultivars	83
S. D’Aquino, A. Angioni, D. Suming, A. Palma and M. Schirra	
Postharvest decay control of citrus fruit by preharvest pyrimethanil spray	93
S. Sasso, L. Scrano, M.G. Bonomo, G. Salzano and S.A. Bufo	
Secondary metabolites: application on cultural heritage	101
Abstracts	109
C. De Smedt and P. Spanoghe	
Formulation and application of zeolites in the frame work of a sustainable crop protection	111
A.M.C. Schilder, J.M. Gillett, R.W. Sysak and C. Vandervoort	
Effect of rain on fungicide persistence and efficacy on grape leaves	112
Session – Pesticide residues, toxicology and ecotoxicology	113
J-P. Janssen	
Pest select database: a new tool to use selective pesticides for IPM	115
G. Rousseau, P. Coutanceau, F. Lebeau, O. Pigeon, N. Ducat and P. De Vos	
VEGEPHY: impact of vegetable oils used as extemporaneous additives on pesticide residues and their crop protection potential	121
M. Baldessari, G. Giuliani, S. Chiesa, R. Larcher, C. Ioriatti and G. Angeli	
Pesticide residue free fruits: the aim of Trentino apple production system	133

S. D’Aquino, A. Angioni, D. Suming, A. Palma and M. Schirra Residue levels, persistence and effectiveness of imazalil against a resistant strain of <i>Penicillium digitatum</i> when applied in combination with heat and sodium bicarbonate	139
Abstracts	151
J-P. Nabléni Ouattara, J. Louwagie, O. Pigeon and P. Spanoghe Comparative effects of two washing and drying procedures on three long lasting insecticidal mosquito nets	153
I. Delcour, M. Rademaker, P. Spanoghe, B. De Baets and J. Jacxsens A prioritization methodology for sampling and analysis of pesticide residues in fruit and vegetables	154
Posters – Pesticide residues, toxicology and ecotoxicology	155
C. Benzidane and S. Dahamna Chlorpyrifos residues in food plant in the region of Setif, Algeria	157
L. Radivojevic, S. Gasic, M. Saric Krsmanovic et al. The impact of mesotrione on several microbiological activity of chernozem soil	161
M. Kaewwongse, K. Sanesuwan, P. Pupa and V. Bullangpoti Essential oil compounds as stress reducing agents in rats	167
P. Budai, J. Lehel, Zs. Marczali and R. Szabo Toxicity of pendimethalin containing formulation and copper sulphate to chicken embryos	173
I. Buda, P. Budai, R. Szabo and J. Lehel In vitro eye corrosion study of agrochemicals on isolated chicken eye	177
Abstracts	183
D. Fevery, E. Lievens, L. Janssens, C. Bragard and P. Spanoghe Agricultural and non-agricultural use of chemical crop protection products	185
S. Mekonen, A. Ambelu and P. Spanoghe Analysis of pesticides residue in common food items and consumer risk assessment in Ethiopia	186
I. Delcour, E. Van Dooren and P. Spanoghe The effect of using a grill, wok or microwave on the pesticide residues on vegetables	187

S. Dahamna, C. Benzidane, F. Amira, D. Harzallah, S. Khenouf and S. Amira	
Induced toxicity by the organo-phosphorus insecticide on some biochemical parameters in rats	188
M. Houbraken and P. Spanoghe	
Reduction of the volatilization of plant protection chemicals by surfactants	189
Session – Agricultural entomology and acarology I	191
W. Rattanapun	
Biology of rice bug <i>Leptocorisa oratorius</i> (Fabricius) (Hemiptera: Alydidae), population change and alternative host plants	193
K.S. Moursi, M.L. Boulbida, R.S. Abdel Fattah and A.K. Mourad	
Some ecological aspects on olive Parlatoria scale, <i>Parlatoria oleae</i> (Colvee) infested plum and olive trees under irrigation system at Burg el-Arab area, Alexandria, Egypt	199
M. Bertosa and H.E. Hummel	
Cultural Diabrotica containment strategy in Switzerland: until now a convincing success story	209
Abstracts	221
V. Van Damme, H. Casteels, N. Berkvens, L. Tirry, R. De Vis and P. De Clercq	
Overwintering potential of the invasive leafminer <i>Tuta absoluta</i> in Belgium	223
T. Walski, E.J.M. Van Damme, C.L. Goodman and G. Smagghe	
Insecticidal effects of lectins against the red flour beetle, <i>Tribolium castaneum</i>	224
J. Maharramov, I. Meeus and G. Smagghe	
The origin of <i>Apicystis bombi</i> , a protozoan parasite of Argentinean bumblebees	225
Session: Agricultural Entomology and Acarology II	227
G. Luypaert, B. Van Delsen, J. Witters, J. Van Huylbroeck, M. Maes, J. De Riek and P. De Clercq	
Screening <i>Rhododendron</i> spp. for broad mite (<i>Polyphagotarsonemus latus</i>) resistance	229

H.E. Hummel, S.S. Langner and M-T. Eisinger Pheromone dispensers, including organic polymer fibers, described in the crop protection literature: comparison of their innovation potential	233
H.E. Hummel and S.S. Langner <i>Lobesia botrana</i> IPM: electrospun polyester microfibers serve as biodegradable sex pheromone dispensers	253
M. Baldessari, C. Rizzi, G. Tolotti and G. Angeli Evaluation of an aerosol emitter for mating disruption of <i>Cydia pomonella</i> in Italy	267
Abstracts	273
T. Nguyen Duc, D. Vangansbeke and P. De Clercq Artificial diets for rearing the predatory mite <i>Amblyseius swirskii</i> (Acari: Phytoseiidae)	275
D. Vangansbeke, T. Nguyen Duc, J. Audenaert, R. Verhoeven, B. Gobin, L. Tirry and P. De Clercq Life history and predation rate of <i>Amblydromalus limonicus</i> (Acari: Phytoseiidae) fed on factitious foods	276
J. Audenaert, D. Vangansbeke, R. Verhoeven, P. De Clercq, L. Tirry and B. Gobin The influence of variable temperatures on the functional response of <i>Phytoseiulus persimilis</i>	277
S. Attia, K. Lebdi Grissa, G. Lognay, S. Heuskin, A.C. Mailleux and T. Hance Fumigant toxicity of <i>Mentha pulegium</i> and <i>Citrus aurantium</i> essential oils to <i>Tetranychus urticae</i> (Acari: Tetranychidae) and <i>Phytoseiulus persimilis</i> (Acari: Phytoseiidae)	278
B. Van Delsen, S. Van Hecke, G. Luypaert, E. Pauwels, E. De Boodt and B. Gobin Temperature treating Azalea cuttings as IPM strategy for broad mite (<i>P. Latius</i>) control	279
J. Moens, A. De Vos, V. De Bleeker, L. Verschoren and B. Gobin Influence of a flower strip and hedgerow on functional biodiversity in <i>Tilia cordata</i> (Mill.)	280
P. Demaeght, W. Dermauw, L. Tirry and T. Van Leeuwen Molecular analysis of resistance to acaricidal spirocyclic tetronic acids in <i>Tetranychus urticae</i> : CYP3962E10 metabolizes spirodiclofen, but not its corresponding enol	281

A. Bryon, N. Wybouw, W. Dermauw, L. Tirry and T. Van Leeuwen A molecular analysis of diapause in the two-spotted spider mite <i>Tetranychus urticae</i>	282
N. Wybouw, W. Dermauw, L. Tirry and T. Van Leeuwen Jack of all trades, master of none? An analysis of the molecular biology behind plant adaptation of the polyphagous spider mite <i>Tetranychus ur-</i> <i>ticae</i>	283
Posters – Agricultural Entomology and Acarology	285
F. Censier, S. Chavalle, G. San Martin y Gomez, M. De Proft and B. Bod- son Study on the sensitivity of three oat varieties to the Saddle gall midge, <i>Haplodiplosis marginata</i> (von Roser) (Diptera: Cecidomyiidae)	287
E. Bangels and T. Belien Control of sawflies in apple and pear in Belgium	293
M.E. Perez, H. Haramboure, L. Mirande, G.P. Romanelli, M.I. Schneider and J.C. Autino Biological activity of three alkyl cinnamates on young larvae of <i>Tuta ab-</i> <i>soluta</i>	299
C. Kraikrathok, S. Ngamsaeng, V. Bullangpoti, W. Pluempanupat and O. Koul Bio efficacy of some Piperaceae plant extracts against <i>Plutella xylostella</i> L. (Lepidoptera: Plutellidae)	305
T. Bovornnanthadej, B. Boonsoong, D. Taylor, Y. Kainoh, O. Koul and V. Bullangpoti Effect of thymol on reproductive biology of <i>Helicoverpa armigera</i> Hübner (Lepidoptera: Noctuidae)	311
M. Tarasin Effect of Eucalyptus wood vinegar on rubber wood infestation by Asian subterranean termite, <i>Coptotermes gestroi</i> (Isoptera: Rhinotermitidae)	317
M. Tarasin and W. Rattanapun Hot palm oil treatment to confer rubberwood resistance against the pest <i>Sinoxylon anale</i> Lesne (Coleoptera: Bostrichidae)	323
E. Horvath, P. Sipos and Z. Marczali Gall midges and their parasitoids on common reed in Kis-Balaton area, Hungary	327
S. Santos, J. Martins, J. Marcelino, C. Mateus and E. Figueiredo What do tiger-fly larvae (Diptera: Muscidae) eat?	333

M. Haramboure, N. Francesena, G.R. Roboredo, G. Smagghe, R.A. Al-zogaray and M.I. Schneider Toxicity of cypermethrin on the Neotropical lacewing <i>Chrysoperla externa</i> (Neuroptera: Chrysopidae)	339
G. Peusens, H. Schoofs, T. Deckers and T. Belien Preliminary results on the ability of Pentatomidae to transfer fire blight <i>Erwinia amylovora</i> under controlled conditions	345
T. Thys, E. Bangels and T. Belien Biological efficacy evaluation of mating disruption against the grape berry moth, <i>Lobesia botrana</i> , in grape in glasshouses	349
J. Csáky and A.P. Takács Headspace collection of grapevine volatiles in a Hungarian vineyard	355
N.M. Hassona, F. Jacobs, A.K. Mourad, O.A. Zaghloul and O. el-Ansary Assessment of genetic relatedness in the honeybee <i>Apis mellifera</i> L. (Hymenoptera: Apidae) colonies by using microsatellite loci	359
Abstracts	369
J. Witters, G. De Bondt and H. Casteels Interceptions and occurrence of quarantine insects and mites in Belgium in 2012	371
S. Bajda, W. Dermauw, L. Tirry and T. Van Leeuwen Do point mutations in the PSST subunit of the respiratory complex I underlie METI resistance in <i>Tetranychus urticae</i> ?	372
M.R. Khalighi, L. Tirry and T. Van Leeuwen Resistance risk assessment of novel complex II inhibitors in <i>Tetranychus urticae</i>	373
P. Demaeght, L. Tirry and T. Van Leeuwen Genetic mapping reveals the mode of action of chitin synthesis inhibitors in Arthropods	374
C. Ormking and W. Amornsak Effects of ethyl formate on insect pests of post harvested mangosteen	375
N. Zappata, M. Vargas, E. Latorre, X. Roudergue and G. Smagghe Insecticidal activity of essential oil of <i>Laurelia sempervirens</i> Ruiz et Pav. On the greenhouse whitefly (<i>Trialeurodes vaporariorum</i> Westwood) and the parasitoid <i>Encarsia Formosa</i> (Gahan)	376
T. Bawin, F. Seye, S. Boukraa, J-Y. Zimmer, F. Delvigne, M. Ndiaye and F. Francis Application of three entomopathogenic fungi for aphid control	377

- J. Razinger, M. Lutz, H-J. Schroers, G. Urek and J. Grunder**
Testing of entomopathogenic or potentially plant growth promoting fungal strains for the control of cabbage root fly (*Delia radicum* L.) and their rhizosphere competence 378
- E. Veromann, R. Kaasik, G. Kovacs and L. Metspalu**
Host plants' impact on the species composition of *Meligethes aeneus* parasitoids 379
- N. Dassonville, T. Thielemans and V. Rosemeyer**
The use of a mix of parasitoids to control all aphid species on protected vegetable crops 380
- J. Kotschan, T. Tanyi Tambe and P. Riolo**
Uroobovella phoenicicola J. Kotschan, J.T. Tambe and P. Riolo, 2012, a phoretic mite described from *Rhynchophorus phoenicis* in Cameroon 381
- M. Haramboure, L. Mirande, C. Reguilon, R.A. Alzogaray and M.I. Schneider**
Susceptibility of *Chrysoperla externa* and *C. asoralis* to three insecticides 382
- A.M. Vacari, S.A. De Bortoli, V.F. Pereira de Carvalho, V.L. De Laurentis and C. De Bortoli**
Effect of *Bacillus thuringiensis* on *Podisus nigrispinus* adulthood over generations 383
- P. Sipos, E. Horvath, Z. Marczali and V. Marko**
Introducing kaolin particle film technology into Hungarian pear orchards 384
- L. Parmentier, I. Meeus, L. Cheroutre, V. Mommaerts, S. Louwye and G. Smagghe**
Commercial bumblebee hives to assess pollinator support in anthropogenic environments 385
- M. Rodriguez, M. Vargas, K. Antunez, M. Gerding, N. Zapata, I. Meeus and G. Smagghe**
Distribution and prevalence of honey bee (*Apis mellifera* L.) viral diseases and their association with other apicultural diseases in the Biobío region, Chile 386

**COMMUNICATIONS IN AGRICULTURAL AND
APPLIED BIOLOGICAL SCIENCES**

Formerly known as

**MEDEDELINGEN FACULTEIT LANDBOUWKUNDIGE
EN TOEGEPASTE BIOLOGISCHE WETENSCHAPPEN**

PUBLISHERS

Prof. Pascal Boeckx
Prof. Peter Bossier
Prof. Guy Smagghe
Prof. Els Van Damme
Prof. Niko Verhoest
Bjorn Vandekerkhove

EDITORIAL ADDRESS

Coupure links 653
9000 Gent (Belgium)

Website: <http://www.fbw.ugent.be/>

ISSN 1379-1176

The contents of the contributions published in this book are under the full responsibility of the authors. The organizing committee cannot be held responsible for any errors in this publication and potential consequences thereof.

Proceedings

**65th
INTERNATIONAL SYMPOSIUM
ON CROP PROTECTION**

**Editorial Address
Coupure links 653
9000 Gent (Belgium)**

Gent, May 21, 2013

Part II

CONTENTS

Session: Nematology	387
D.D. Dimitrijevic and J. Bacic Mathematical analysis of dynamic spread of pine wilt disease	389
Abstracts	401
R.U. Ehlers and U. Wyss Biological control of the western corn rootworm (<i>Diabrotica virgifera virgifera</i>) with the entomopathogenic nematode <i>Heterorhabditis bacteriophora</i> (Film)	403
A.C. Boucher, B. Mimee, J. Montarry, G. Bélair, P. Moffett and E. Grenier Genetic diversity of the golden potato cyst nematode <i>Globodera rostochiensis</i> inferred from microsatellite loci and determination of the origin of populations in Quebec, Canada	404
S. Mantelin, P. Thorpe, M.R. Armstrong et al. Effectors of <i>Globodera pallida</i> and identification of their host targets	405
H. Ji, T. Kyndt, W. He and L. Gheysen The effects of DL-beta-amino-n-butric acid (BABA) on rice defense against the root-knot nematode, <i>Meloidogyne graminicola</i>	406
M.T. Nadong Cabasan, A. Kumar and D. De Waele Effects of initial population density, temperature and water regimes on resistance to <i>Meloidogyne graminicola</i> in <i>Oryza glaberrima</i>	407
A. Berniers, J. Helder, T. Van der Lee, T. Been, O. Mendes, S. Van den Elsen and M. Van Gent-Pelzer Comparing two novel methods for quantification of viable eggs of potato cyst nematodes	408
E. Ebrahimi, N. Viaene, B. Vandecasteele, T. Dhose and M. Moens The effects of soil amendments on the viability of potato cyst nematodes (<i>Globodera rostochiensis</i> and <i>G. pallida</i>)	409
D. Peng, W. Huang and H. Peng H. Long Current research status and perspective of cereal cyst nematode (<i>Heterodera avenae</i> , <i>H. filipjevi</i>) on wheat in China	410

M.G. Teklu, T.H. Been, C.H. Schomaker and A. Beniers Efficiency of the rebuild Seinhorst elutriator in the recovery of <i>M. chitwoodi</i> juveniles from the soil	411
W.M.L. Wesemael and N. Viaene Host plant status of <i>Brassica juncea</i> cv. ISCI99 and <i>Eruca sativa</i> cv. Nemat for <i>Meloidogyne chitwoodi</i> and <i>M. Fallax</i>	412
A.S. Van Bruggen, A.M. De Heij, C. Cornelisse and J.L.M.F. Den Nijs The reliability of ISPM 15-treatments: a case study on pallet wood	413
Poster: Nematology	415
E.M.A. Noweer Effect of the nematode biocide DBX-1003 in controlling citrus nematode infecting mandarin, and interrelationship with the co-inhabitant fungi	417
Abstracts	425
J. Zadji, H. Baimey, L. Afouda, G. Houssou, M. Moens and W. Decraemer First record on entomopathogenic nematodes (<i>Heterorhabditis</i> spp.) from southern Benin and their effectiveness for biocontrol of the subterranean citrus termite pest, <i>Macrotermes bellicosus</i> (Isoptera: Macrotermitidae)	427
N. Pili, R. Mibey, T. Kyndt, S. França, M. Höfte and G. Gheysen Diversity of endophytic fungi in irrigated and upland rice ecosystems in Kenya	428
S. Hockland, T. Prior, R. Lawson and P. Taylor Review of interceptions of plant-parasitic nematodes in the UK 2002 to 2012	429
Y. Oka, S. Shuker, N. Tkachi, B. Trabelcy adn Y. Gerchman Nematical activity of <i>Ochradenus baccatus</i> against the root-knot nematode <i>Meloidogyne javanica</i>	430
M. Radivojevic and N. Grujic Monitoring decline of potato cyst nematode populations	431
N. Damme, A. Bighiu and N. Viaene Interesting findings of root-knot nematodes (<i>Meloidogyne</i> spp.) in samples for nematode diagnostics	432
M.G. Teklu, T.H. Been, C.H. Schomaker, A. Beniers, L. Altena, T. Van Beers, D. Boomsma and L. Molendijk Extraction efficiency of J2 of <i>M. chitwoodi</i> from roots and potato peels using the Seinhorst spray mist-chamber	433

Session – Phytopathology	435
A. Siah, Ph. Reignault and P. Halama Genetic diversity of <i>Mycosphaerella graminicola</i> isolates from a single field	437
K. Pkania Chepkurui, J. Venneman, K. Audenaert, O. Kiplagat, G. Haesaert and G. Gheysen Rapid identification of bacterial blight strains isolated from cotton in Western Kenya using GYRB gene sequence	443
Abstracts	447
M. Duvivier, G. Dedeurwaerder, M. De Proft and A. Legrève Four years of monitoring <i>Mycosphaerella graminicola</i> airborne inoculum and its relationship with disease symptoms in the field	449
L. Bertier, L. D'Hondt, H. Brouwer, A.W.A.M. De Cock, L. Leus and M. Höfte The expansion of <i>Phytophthora</i> clade 8b: three new species associated with the winter grown vegetable crops carrot, lettuce and chicory	450
G.K.H. Hua, L. Bertier, S. Soltaninejad and M. Höfte Characterization and pathogenicity of <i>Rhizoctonia</i> isolates associated with cruciferous vegetables in Vietnam	451
K. Van Poucke, L. Van Herck, C. Sauviller, M. Frans, R. Aerts and K. Heugens Pathogenicity and detection of <i>Fusarium</i> spp. causing internal fruit rot in bell pepper	452
B. Gehesquiere, F. Rys, M. Maes, M. Höfte, J. Van Huylenbroeck, B. Gobin and K. Heugens Weather and cultivar-dependent susceptibility to <i>Cylindrocladium buxicola</i> in Buxus	453
E. Gavriila, B. Cottyn, P. De Vos and M. Maes <i>Xanthomonas axonopodis</i> pv. <i>dieffenbachia</i> strains represent three phylogenetic groups of uncertain phytopathological relevance	454
S. Bahrami Kamangar, G. Smagghe and K. De Jonghe Presence of potato virus Y strains in Belgium	455
M. De Backer, T. De Langhe, L. De Rooster, S. Darwich, D. Callens, M. Maes and K. De Jonghe The development of a multiplex PCR for the detection of three zucchini viruses	456

Session – Phytopathology	
Plant pathogen interactions and biological control	457
Ch. Tayeh, B. Randoux, F. Laruelle, N. Bourdon and Ph. Reignault Lipids as markers of induced resistance in wheat: a biochemical and molecular approach	459
G. Mustafa, B. Tisserant, B. Randoux, J. Fontaine, Ph. Reignault and A. Lounes-Hadj Sahraoui Towards a more sustainable agriculture: wheat mycorrhization to protect against powdery mildew	467
N.G. Khong, B. Randoux, J. Deravel, B. Tisserant, Ch. Tayeh, F. Coutte, N. Bourdon, Ph. Jacques and Ph. Reignault Induction of resistance in wheat by bacterial cyclic lipopeptides	479
C. Deweer, A. Yaguiyan, J. Muchembled, K. Sahmer, C. Dermont and P. Halama In vitro evaluation of dill seed essential oil antifungal activities to control <i>Zymoseptoria tritici</i>	489
N. Nasir, A. Dharma, M. Efdi, Yuhendra and F. Eliesti Natural product of wild Zingiberaceae <i>Elettariopsis slahmong</i> : biopesticide to control the vector of banana blood disease bacterium in West Sumatra, Indonesia	497
Abstracts	507
B. Al Atalah, E. Fouquaert and E.J.M. Van Damme Expression analysis for EUL-related rice lectins under different stress conditions	509
K. Stefanowicz, N. Lannoo and E.J.M. Van Damme Glycan-binding F-box protein from <i>Arabidopsis thaliana</i> in plant defense responses	510
G. Van Aubele, R. Buonatesta and P. Van Cutsem COS-OGA, a novel active substance for plant protection, induces salicylic acid-dependent defense reactions	511
J. Xu, K. Audenaert, M. Höfte and D. De Vleeschauwer Abscisic acid promotes susceptibility to the rice leaf blight pathogen <i>Xanthomonas oryzae</i> pv. <i>oryzae</i> by antagonizing salicylic acid-mediated defenses	512
J. Neukermans, A. Inzé, J. Mathys, B. De Coninck, K. Thevissen, B. Cammue and F. Van Breusegem Aracins, new tools for crop protection	513

H. Cawoy, P. Thonart and M. Ongena What are the main metabolites responsible for the biocontrol potential of <i>Bacillus</i> strains	514
N. Van Hese, I. Van Bogaert, C. Boistel, G.H. Tran, F. Coutte, P. Jacques and M. Höfte Potential new biopesticide's against downy mildew in lettuce	515
Session – Phytopathology – Integrated control	517
T. Vleugels, J. Baert and E. Van Bockstaele Evaluation of a diverse red clover collection for clover rot resistance (<i>Sclerotinia trifoliorum</i>)	519
J. Smith, M. Grimmer, S. Waterhouse and N. Paveley Quantifying the non-fungicidal effects of foliar applications of fluxapyroxad (Xemium®) on Stomatal conductance, water use efficiency and yield in winter wheat	523
Abstracts	537
T. Vanwallegem, W. Van Hemelrijck, P. Creemers, T.T.A. Bui, M. Davey, M. Hertog, B. Nicolai and W. Keulemans Influence of stress treatments on the infection risk for <i>Botrytis</i> on apple	539
A. Ceustemans, T. Vanwallegem, T. Smets, A. Marcone, P. Creemers and W. Van Hemelrijck Hot water treatment, an alternative strategy to control post-harvest diseases	540
K. Dewitte, B. Bekaert, T. Coussens, J. Latré and G. Haesaert Genetic diversity of the <i>Colletotrichum</i> population occurring on sweet lupine (<i>Lupinus</i> spp.) in Flanders and its chemical control	541
Posters – Phytopathology	543
U. Wachowska, M. Jedryczka, W. Irykowski and K. Glowacka Use of <i>Aureobasidium pullulans</i> to control Fusarium head blight on winter wheat ears caused by <i>Fusarium culmorum</i>	545
M. Pugliese, M. Marengo, M.L. Gullino and A. Garibaldi Compost suppressiveness against <i>Phytophthora capsici</i> on pepper in potting trials	551
W. Chitarra, M. Pugliese, G. Gilardi, M.L. Gullino and A. Garibaldi Effect of silicates and electrical conductivity on Fusarium wilt of hydroponically grown lettuce	555

- M. Naouari, S. Siah, M. Elgazzah, Ph. Reignault and P. Halama
Tunisian population of *Mycosphaerella graminicola* is still sensitive to strobilurin fungicides 559
- J.A. Martínez and R. Gozález
Essential oils from clove affect growth of *Penicillium* species obtained from lemons 563
- L. Cubaiu, E. Azara, G. Ladu, T. Venditti and G. D'Hallewin
Native pears of Sardinia affect *Penicillium expansum* pathogenesis 573
- G. D'Hallewin, L. Cubaiu, G. Ladu and T. Venditti
A synergistic effect in controlling plum postharvest diseases occurs by applying UV-C light to sodium bicarbonate treated fruit 579
- M.A. Amer, S.M. el-Abd and F.G.F. Mansour
Enzyme activity and effect of heat treatment on some fungal diseases of postharvest tomato fruits 585
- T. Venditti, L. Cubaiu, G. Ladu and G. D'Hallewin
Effect of different gras compounds in the control of apples blue mould 599
- A.A. Sevastos, A.A. Malandrakis and A.N. Markoglou
Effect of carbendazim resistance on fitness parameters of *Fusarium graminearum* 605
- A. Crescenzi, A. Viggiano and A. Fanigliulo
Resistance breaking tomato spotted wilt virus isolates on resistant pepper varieties in Italy 609
- N. Alloui, A. Siah, L. Brinis, Ph. Reignault and P. Halama
Assessment of the cytochrome B substitution G143A in the Algerian population of *Mycosphaerella graminicola* 613
- R. Rodeva, R. Carrieri, Z. Stoyanova, S. Dacheva, E. Lahoz, A. Fanigliulo and A. Crescezi
New report of *Phoma glomerata* on *Coriandrum sativum* L. 617
- M. Plugliese, I. Ferrocino, M.L. Gullino and A. Garibaldi
Detection of *Fusarium oxysporum* f.sp. *basilici* in substrates and roots by PCR 621
- S. Ladjal, D. Harzallah, S. Dahamna, D. Bouamra, S. Bouharati and S. Khenouf
Endophytic fungi isolated from *Pinus halepensis* needles in M'sila (Algeria) region and their bioactivities 625

Abstracts	633
S. Rombouts, J. Van Vaerenbergh, R. Lavigne, T. De Langhe, B. Declercq, A. Volckaert and M. Maes Integrated control of bacterial pathogens for cabbage and leak cultivation	635
N. Van Hese, A. Bogaert, I. Leenknecht, I. Vandevelde, N. Vergote, P. Bleyaert and M. Höfte An integrated control strategy for downy mildew in greenhouse-grown lettuce	636
F.E. Olorunleke, T.J. Onyeka, C.J. Huang, Nam Phuong Kieu and M. Höfte Phylogeny and characterization of biocontrol <i>Pseudomonas</i> isolates associated with cocoyam's in Nigeria	637
M.A. Streminska, M.A. Van Slooten, D.L.W. Ludeking and A.W.G. Van der Wurff Influence of bio stimulants on the suppression of hairy roots disease in greenhouse tomatoes	638
A. Soltaninejad, S.C. França, L. Wachters, L. De Rooster, A. Bogaert, N. Vergote, A. Decombel, P. Bleyaert, M. Höfte Microorganisms involved in suppression of <i>Rhizoctonia solani</i> sclerotia viability by lignin-rich amendments	639
G. D'Hallewin, L. Cubaiu, A. Dore, S. Marceddu, M.G. Molinu and T. Venditti Comparative study on the effect of sodium bicarbonate on postharvest molds in citrus, plum and pome fruit	640
K. Curvers, P. Pycke, T. Kyndt, G. Haesaert and G. Gheysen High resolution melting for the identification of mutations in the CYP51 gene, linked to triazole resistance in <i>Mycosphaerella graminicola</i>	641
C. De Clerck, G. Mergeai and M.H. Jijakli Identification of potential agents causing collar rot of <i>Jatropha curcas</i> in Senegal	642
B. Cottyn, J. Vandroemme, J.F. Pothier, V. Pflüger, B. Duffy and M. Maes <i>Xanthomonas arboricola</i> pv. <i>fragariae</i> , unravelling a complexity	643
K. De Jonghe, S. Morio, T. Olivier, E. Demonty, F. Fauche, S. Steyer, G. Peusens, T. Beliën and M. Maes Survey of SLRSV, RPRSV, SMYEV and SCRIV in Belgium	644
V.P. Bigirimana, M. Höfte and I.O. Nyamangyoku Isolation and characterization of fungi associated with rice sheath rot in Rwanda	645

C. Eken and G.Y. Yuen Mycoflora and pathogenicity of fungi on velvetleaf	646
C. Eken and G.Y. Yuen Occurrence of <i>Fusarium</i> wilt of basil in Nebraska	647
P. Hellin, G. Dedeurwaerder, J. Ghysseleinckx and A. Legrève Prevalence of the species involved in <i>Fusarium</i> head blight (FHB) in winter wheat in Wallonia, Belgium from 2010 to 2012	648
R. Tahzima, M. Maes and K. De Jonghe First occurrence of <i>Candidatus phytoplasma solani</i> associated with seed potato in Belgium	649
G. Dedeurwaerder, A. Derumier, M. Duvivier and A. Legrève A new method for quantifying <i>Puccinia triticina</i> airborne inoculum in wheat fields	650
L. De Bruyne, C. Van Poucke, J.D. Di Mavungu, L. Vanhaecke, D. De Vleeschauwer, S. De Saeger and M. Höfte Phytotoxin production by <i>Cochliobolus miyabeanus</i> , the causal agent of brown spot disease on rice	651
N. Van Bogaert, G. Smagghe and K. De Jonghe Interactions of pospiviroids with viruses, insects and plant	652
Session – Herbology	655
D. Jaunard, A. Monty, F. Henriët, M. De Proft, G. Mahy and B. Bodson Integrated management of wild chamomile (<i>Matricaria chamomilla</i> L.) populations by tillage	657
F. Henriët, B. Bodson and R. Meza Morales Silky bent grass resistance to herbicides: one year of monitoring in Belgium	665
V. Derycke, G. Haesaert and J. Latre Chemical weed control in triticale (<i>X Triticosecale</i> Wittmack): review of five years of field experiments	671
B. De Cauwer, R. Devos, S. Claerhout, R. Bulcke and D. Reheul Seed germination, seedling emergence, seed persistence and triflusaluron-methyl sensitivity in <i>Galinsoga parviflora</i> and <i>G. quadriradiata</i>	681

Abstracts	693
S. Claerhout, B. De Cauwer, K. Dewaele, J. De Riek, D. Reheul and R. Bulcke	
Do differences in herbicide sensitivity among local <i>Echinochloa</i> populations reflect morphological and genetic variability?	695
I. Bouhaouel, A. Gfeller, M.L. Fauconnier, H. Slim Amara and P. Dujardin	
Did the allelopathic potential of the Tunisian barley root exudates affect simultaneously weeds and barley growth?	696
 Posters – Herbology	699
W.R. Meza Morales, C. Vanbellinghen, B. Bodson and F. Henriët	
Study of factors influencing the germination of <i>Apera spica-venti</i> (L.) P. Beauv. in controlled conditions	701
 Abstract	707
D. Pavlovic, D. Marisavjevic and L. Radivojevic	
Response of weed populations and cultivars to glyphosates	709

